Citation for published version:

Fosten, J, Morley, B & Taylor, T 2012, 'Dynamic misspecification in the environmental Kuznets curve: evidence from CO₂ and SO₂ emissions in the United Kingdom', *Ecological Economics*, vol. 76, pp. 25-33.
<https://doi.org/10.1016/j.ecolecon.2012.01.023>

DOI:

[10.1016/j.ecolecon.2012.01.023](https://doi.org/10.1016/j.ecolecon.2012.01.023)

Publication date:

2012

Document Version

Peer reviewed version

[Link to publication](#)

NOTICE: this is the author's version of a work that was accepted for publication in *Ecological Economics*. Changes resulting from the publishing process, such as peer review, editing, corrections, structural formatting, and other quality control mechanisms may not be reflected in this document. Changes may have been made to this work since it was submitted for publication. A definitive version was subsequently published in *Ecological Economics*, 2012, vol 76, DOI 10.1016/j.ecolecon.2012.01.023

University of Bath

Alternative formats

If you require this document in an alternative format, please contact:
openaccess@bath.ac.uk

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

1. Introduction

As a result of recent concerns relating to the harmful effects of climate change, policy makers have become increasingly interested in reducing greenhouse gas emissions using a variety of policy tools such as environmental taxation and the increased use of renewable energy. In addition, countries have been set targets for greenhouse gas emissions, such as through the Kyoto Protocol, whilst EU members, including the UK, have been set voluntary targets for the reduction in these emissions. Even before greenhouse gas emissions became an important issue, the UK was seeking to pass legislation in order to reduce the production of key pollutants such as sulphur dioxide (SO₂), which started with the Alkali Act of 1874. Evidence of the harmful effects of pollutants to the environment has led to increasing political efforts to reduce them and academic efforts to model how the pollutants relate to the economy. In the 1990s one of the main developments in understanding the link between the environment and economy was the Environmental Kuznets Curve (EKC), which suggested a non-linear relationship between income and pollutants.

Stern (2004, p.1420) asserts that “The EKC is an essentially empirical phenomenon, but most of the EKC literature is econometrically weak.” Researchers are increasingly employing more advanced econometric techniques to try and uncover any statistical shortcomings of the EKC. Single country studies have used time series econometrics, with various methodological developments taking the form of unit root testing and cointegration analysis. These developments have been necessary as in the absence of these tests there is the possibility of the ‘spurious’ regression problem arising from looking at variables with common trends. Recent studies generally look at the EKC over very short time spans; something which could be potentially problematic when using time-series models, such as cointegration, which

perform better in large samples. Secondly, papers to date have only looked at symmetric cointegration.

This paper aims to look at re-specifying the EKC in an asymmetric framework to allow for a different speed of adjustment to the long-run relationship depending on whether emissions are above or below the EKC in the short-run. In addition further explanatory variables are added into this model, such as energy prices, to test the robustness of the results. Regulation on air pollution has become increasingly stringent, including international protocols such as the Oslo Protocol and the Kyoto Protocol. Such regulations may explain why actions are more likely if emissions are too high – as there may be penalties for industry and the threat of increased legislative action. Thus, in the presence of environmental regulation we may expect any short-run deviations in emissions to be corrected more quickly if they are too high, whereas if emissions are too low, there is no immediate pressure for them to rise back to their long-run levels.

This could essentially imply that emissions are ‘sticky upwards’ with respect to the long-run EKC. Two different environmental hypotheses are constructed and tested using the threshold autoregressive (TAR) and momentum threshold autoregressive (M-TAR) cointegration method of Enders and Siklos (2001), which as far as we know has not been used to analyse emissions in the current EKC literature.

Following the introduction, we discuss the related literature on the EKC, then the data and non-linear cointegration techniques are examined. We then discuss the results and finally offer some conclusions.

2. Literature Review

Empirical work into the Environmental Kuznets Curve (EKC) to date has produced mixed findings. Studies use a very wide variety of countries, pollutants, data sources and econometric techniques¹, each one coming up with a slightly different perspective on the acceptance or rejection of the EKC hypothesis, and what it means for the theory². Perhaps the most important distinction between studies is the approach they use with regards to multiple- or single-country analysis and therefore the use of panel data or time series techniques. One of the reasons why time series aspects are appearing is that over the last few years there has been an increasing acceptance of the fact that not only with time series studies, but now with panel data there is the need for checking the order of integration and the cointegration of variables used in the models. This is due to the fact that ‘large N, large T’ datasets are becoming feasible and available.

2.1. Panel data Estimation

The original work in the area of the EKC came from Grossman and Krueger (1995) who employed a database for a range of cities from the Global Environmental Monitoring Systems (GEMS). They used panel data techniques, confirming the existence of the inverse-U relationship between air and water basin pollution and income per capita. As such, after this paper, the majority of work was to perform analysis in a panel data framework. For instance, Managi and Jena (2008) create an environmental productivity index to be used as a dependent variable, and use additional explanatory variables such as urbanisation and population density.

¹ These include cross-section, time series and panel methods. Here we focus on studies with a time dimension.

² The literature on the EKC is dominated by empirical studies, Harbaugh *et al.* (2002) point out there is little theoretical literature to guide the correct specification, so most studies follow the approach used by Grossman and Krueger (1995).

However, there have been several criticisms of panel data techniques in the context of the EKC mentioned in the literature, all of which would seem to be in favour of focussing on individual country analysis in a time series framework. In his survey Dinda (2004, p.449) points to the critical flaw in the panel approach, noting that “the basic assumption behind pooling the data of different countries in one panel is that economic development trajectory would be the same for all.”

Another point about the use of panels is that, due to data limitations, researchers are generally restricted to a small time period over many countries. Since this period is generally from the early 1980s until the current day, Vincent (1997) notes that panel studies of the EKC may be little more than a statistical artefact. This is because over this data range, developing countries can generally be seen to have a positive relation between emissions and output and many developed countries may exhibit a negative relation, thus leading to an overall conclusion that the EKC holds over all countries.

2.2 Time Series Estimation

Some studies, noting the above criticisms of cross-country panels, go on to estimate a single-country panel regression by pooling data for regions within the country. While this circumvents some of the problems discussed, de Bruyn et al. (1998, p.173) argue that “the EKC, as estimated from panel data does not capture dynamic processes well enough to justify the claim that economic growth is de-linked from environmental pressure in individual countries”. This argument suggests that using panel data even within countries may not be capable of measuring the EKC relation.

With this in mind, several studies have employed time series analysis of emissions in individual countries, deploying a range of unit root and cointegration techniques to examine a non-spurious long-run EKC relationship. Perman and Stern (2003) look at sulphur emissions

for a large number of countries both at an individual level, and then at a panel level. Using the Engle-Granger (1987) method they find that a long-run cointegrating relationship only exists in 35 out of 74 countries. They also found that in more than one third of cases, the EKC hypothesis was rejected. However, their analysis was only performed on a relatively small dataset from 1960-1990. Other studies such as Markandya *et al.* (2006) and Lindmark (2002) also use long datasets stretching back to the nineteenth century, with the former using a similar dataset to the one used in this paper and the latter a Swedish dataset starting in 1870.

Other time series studies use the more recently developed Pesaran *et al.* (2001) Autoregressive Distributed Lag (ARDL) bounds testing approach to cointegration. This has benefits over other cointegration methods as it allows for a mixture of $I(1)$ and $I(0)$ variables to be included in the long-run cointegrating relation, as is often the case with CO_2 emissions. Ang (2007) looks for a quadratic EKC relationship in French CO_2 emissions over the period 1960-2000. The results give the correct signs, lending evidence towards the EKC hypothesis.

With the above mentioned advantages of single-country studies in mind, this paper aims to look at how the EKC is dynamically misspecified. The specification of the empirical model is subject to some discussion, and this can be seen to change dramatically across studies. Carson (2010) provides a survey of the EKC literature and suggests several possible sources of misspecification. Amongst other, he mentions omitted variables and the functional form as key factors which could lead to misspecification. Studies that have examined omitted variables include Soytaş *et al.* (2007), who added total labour force and energy use as additional explanatory variables.

Very few studies have looked to move away from the classic quadratic or cubic specification of the EKC. Galeotti *et al.* (2006) moves away from this specification of per capita income by imposing the inverse-U shape into the relationship through other bell-shaped distributions.

They do this for CO₂ emissions in OECD and non-OECD countries, finding that the bell-shape fits the OECD countries but not the non-OECD countries, where they find an increasing, or “slowly concave” pattern.

However, to the best of the authors’ knowledge, no studies to date have looked for asymmetric behaviour in emissions with regards to disequilibrium from the long-run EKC. Time series studies, such as those mentioned above, all favour symmetric (linear) cointegration techniques. However, as mentioned in Section 1, there is substantial reason to believe that we may expect pressure from environmental agreements to cause a quicker adjustment back to the EKC when emissions are temporarily too high compared to when they are too low.

3. Materials and Methods

3.1 Data

This paper uses a long historical dataset, which yields benefits in terms of sample size. The vast majority of time series studies use less than 50 observations. We use historical CO₂ data from the Carbon Dioxide Information Analysis Centre (CDIAC) based in the Oak Ridge National Laboratory (ORNL). This is fossil-fuel CO₂ emissions measured in metric tonnes estimated from historical energy statistics and spans the period 1751-2007 for the United Kingdom. Holtz-Eakin and Selden’s (1995) important work also used this dataset though it was truncated to a shorter dataset due to the data availability of the countries selected to form a panel. The SO₂ data is that of David Stern and is available over the period 1850-2002 for the UK. The data for real GDP is taken from Maddison and measured in 1990 international Geary-Khamis dollars (GK\$). Population data is taken from the same source and is used to transform the variables into per capita terms. The real GDP and population variables run from 1830-2003 and 1820-2008 respectively. This data is also used by papers such as Markandya

et al. (2006) to analyse European countries in a panel data context. The data for energy prices³ comes from a series generated by Fouquet (2011), where this series is expressed in a form equivalent to their energy service, which requires that they are combined with the energy efficiency of the equipment used, the adjustment required to produce energy prices in this form is explained in Fouquet (2011).

In order to maximise the number of useable observations the largest common sample for the per capita CO₂ and SO₂ emissions with real GDP per capita are used. This means a sample from 1830 to 2003 for the CO₂ model and from 1850 to 2002 for the SO₂ model. Charts of the data and the common sample descriptive statistics are shown in Figures 1 and 2. The clearest falls in both series occur in 1921, 1926 and from 1956 onwards. Markandya et al (2006) largely attribute these to regulation – 1926 being the year of the Smoke Abatement Act and 1956 onwards being the epoch of the Clean Air Acts. However, 1926 also saw the General Strike in the UK and the National Coal Strike took place in 1921. These broader economic events may have had a more significant impact than regulation in those particular years. This also explains the lack of a continuing downward trend after these years. The steeper fall in SO₂ emissions shows that these have been easier to reduce using new technologies applied to power stations, such as the use of ‘Flue Gas desulphurisation’ techniques, whereas with CO₂ the technology has been less effective.. In addition there has over recent years been a move away from the use of coal which emits large quantities of SO₂ to other fuels such as gas which emit far lower levels.

³ We would like to thank Roger Fouquet for allowing us access to this dataset. Other energy prices in addition to gas prices could have been included but gave similar results to gas prices. Although Lindmark (2002) uses a price index which includes non CO₂ emitting energy carriers, as he adds it could also be concluded that the relative price for them could be insignificant. In addition to the results included here, other tests were conducted on energy prices without the trend, but the results are similar to the standard model.

Clearly the range of real GDP per capita is smaller for the common sample with SO₂ per capita emissions due to the removal of observations from the beginning and end of the dataset as compared with the CO₂ dataset. This range of values will be relevant when looking at the turning points of the EKC relation to see whether they lay within the observed dataset. The data will be transformed into natural logarithms for the econometric analysis; this is important as the real GDP variable in particular exhibits an exponential trend in levels.

3.2. Methodology

Enders and Siklos (2001) propose two methods to test for asymmetric cointegration which are based on the two-step cointegration procedure of Engle and Granger (1987). In this way the first stage is to estimate the long-run regression using ordinary least squares (OLS). To allow for the most flexible shape for the EKC, we will follow much of the literature by allowing polynomial terms for real GDP per capita up to and including the third order (cubic). This produces a relatively parsimonious model, which is of importance as the addition of variables to the cointegrating relation not only uses up degrees of freedom but also changes the appropriate response surface for the cointegration test statistic, making it harder to find significant cointegrating relationships. The basic model is written as follows:

$$e_t = \beta_0 + \beta_1 y_t + \beta_2 y_t^2 + \beta_3 y_t^3 + \mu_t \quad (1)$$

where e_t denotes emissions of CO₂ or SO₂ in metric tonnes (MT) per capita and y_t denotes real GDP per capita and both series are in natural logarithms. μ_t is the residual. We also consider energy prices as an explanatory variable which is discussed later in this section.

Having run the long-run regression, the second stage is to perform a unit root test on the residual series μ_t , with the null hypothesis of a unit root being equivalent to no cointegration.

179 The original test of Engle and Granger (1987) tests for symmetric cointegration by running
 180 the standard Dickey-Fuller (1979) test on the residuals of the regression as follows:

$$181 \quad \Delta\mu_t = \rho\mu_{t-1} + \varepsilon_t \quad (2)$$

182 The residual term of this regression ε_t , is assumed to be pure white noise with a zero mean
 183 and a constant variance. Enders and Siklos (2001) present two modifications to this simple
 184 model in order to test for asymmetries: a threshold autoregressive (TAR) model, and a
 185 momentum-threshold autoregressive (M-TAR) model. We can use these two models to test
 186 for two different hypotheses.

187 The first hypothesis is that the pressure of environmental agreements causes more attention
 188 to be given to emissions when they are temporarily above the EKC; $\mu_t \geq 0$, than when they
 189 are below the EKC; $\mu_t < 0$. In other words certain regulations or the existence of emissions
 190 penalties mean that there is more motivation to reduce emissions when they are too high in
 191 levels, but there is less urgency to increase emissions when they are too low. This notion can
 192 be tested with use of the TAR modification to the Engle-Granger (1987) test:

$$193 \quad \Delta\mu_t = I_t\rho_1\mu_{t-1} + (1-I_t)\rho_2\mu_{t-1} + \varepsilon_t \quad (3)$$

194 Where I_t is the Heaviside indicator function, described as follows⁴:

$$195 \quad I_t = \begin{cases} 1 & \text{if } \mu_t \geq 0 \\ 0 & \text{if } \mu_t < 0 \end{cases} \quad (4)$$

196 A second hypothesis asks whether the pressure of environmental agreements means that
 197 deviations of emissions from the long-run EKC are corrected more quickly when emissions

⁴ In fact, they suggest a threshold for μ_t of τ rather than 0. However, in this case we are only interested in what happens when we are either above or below the EKC, so we set it equal to 0, as in Enders and Siklos (2001).

are tending to increase relative to the EKC; $\Delta\mu_t \geq 0$, than when they decrease relative to the EKC; $\Delta\mu_t < 0$. Unlike the TAR framework it does not matter whether emissions are above or below the EKC, only the direction in which emissions are moving, in other words their momentum. This can be tested using the second modification of Enders and Siklos (2001):

$$\Delta\mu_t = M_t \rho_1 \mu_{t-1} + (1 - M_t) \rho_2 \mu_{t-1} + \varepsilon_t \quad (5)$$

Where M_t is the Heaviside indicator function, described as follows:

$$M_t = \begin{cases} 1 & \text{if } \Delta\mu_t \geq 0 \\ 0 & \text{if } \Delta\mu_t < 0 \end{cases} \quad (6)$$

So both of these specifications can test for the different ways in which we may expect emissions to be more ‘sticky upwards’, so as to meet environmental regulation.

If the residual series ε_t is not deemed to be white noise, then lags of the dependent variable may be added to Equations 3 and 5, according to an information criterion. The necessary and sufficient conditions for stationarity of μ_t are that $\rho_1 < 0, \rho_2 < 0$ and $(1 + \rho_1)(1 + \rho_2) < 1$, as stated by Petrucelli and Woolford (1984). Enders and Siklos (2001) propose to test the first two conditions jointly using the null hypothesis $H_0 : \rho_1 = \rho_2 = 0$. Since this F-statistic does not follow a standard distribution, it must be compared with the ϕ_μ tables for the TAR model and the ϕ_μ^* tables for the M-TAR model, which Enders and Siklos (2001) compute through Monte Carlo simulation. However, since this response surface changes with the number of observations, the number of variables in the long-run regression and the number of lagged dependent variables, the more complete tables of Wane, Gilbert and Dibooglu (2004) as cited in Wang and Thi (2010) have been used. Having established cointegration, to test for asymmetric cointegration, the F-statistic for the null hypothesis $H_0 : \rho_1 = \rho_2$ is calculated,

which Enders and Siklos (2001) note can be compared to the standard F-distribution. We would have a priori expectations that $|\rho_1| > |\rho_2|$ for both the TAR and M-TAR frameworks.

If there is evidence to support the existence of a single cointegrating vector, then Engle and Granger (1987) show that there exists an error-correction model (ECM) representation. For the Enders and Siklos (2001) TAR model these can be written for e_t and y_t as follows:

$$\Delta e_t = \rho_{11}I_t\mu_{t-1} + \rho_{12}(1-I_t)\mu_{t-1} + \sum_{i=1}^3 \alpha_{1i}\Delta y_{t-1}^i + \alpha_{14}\Delta e_{t-1} + v_{1t} \quad (7)$$

$$\Delta y_t = \rho_{21}I_t\mu_{t-1} + \rho_{22}(1-I_t)\mu_{t-1} + \sum_{i=1}^3 \alpha_{2i}\Delta y_{t-1}^i + \alpha_{24}\Delta e_{t-1} + v_{2t} \quad (8)$$

where i denotes the power operator on emissions. Similarly for the M-TAR model the indicator function I_t can be replaced with M_t . The two further ECMs exist for the variables y_t^2 and y_t^3 though these have little useful economic interpretation, so the regressions are run but not reported (Results available from authors on request). Clearly for cointegration between these variables to be meaningful, some of the ρ terms should be statistically significant for a given pollutant. If none of the ρ terms were significant it would mean that no variables adjust in the short-run to correct for any disequilibrium from the long-run EKC. Furthermore some of the ρ terms should be negative so that if the error term is positive, one of the variables decreases rather than increases, thus ensuring that the system is dynamically stable.

In addition to the above approach, we have incorporated two further factors into the basic EKC model in Equation 1 to control for the effects of technological change on emissions and changes in energy prices. This also enables us to determine whether the asymmetric adjustment is due to technological changes, for instance there may only be government backed incentives for firms to invest in technologically advanced processes for reducing

pollutants, when the authorities are trying to ensure targets for pollution emissions are met, that is when they are above the EKC. When below the EKC, there is little need to invest in the more technologically advanced products, so any asymmetry can be accounted for by technological progress⁵. We have also included energy prices as a further factor in the model, as other studies such as Lindmark (2002) suggest these may have a significant effect on emissions. This produces the following augmented model:

$$e_t = \gamma_0 + \gamma_1 y_t + \gamma_2 y_t^2 + \gamma_3 y_t^3 + \gamma_4 ep_t + \gamma_5 Trend + v_t \quad (9)$$

Where ep_t is the log of energy prices and *Trend* is a linear trend, which proxies technological change. In the models estimated here, we have used gas prices to represent energy prices, as this has been a popular source of energy throughout the data span used here, in contrast to coal, oil or wood, which have varied in popularity. However although over the entire data span gas has been a major source of energy, during some time periods, such as the 1990s, oil was the most popular source of energy. This fact may also suggest the potential for structural breaks as different sources of energy have varied in popularity over the data range. If this were the case then we need to account for this when performing unit root tests, which we discuss in the next section with reference to the structural break unit root test of Zivot and Andrews (1992).

4. Results and Discussion

4.1 Long-run EKC and cointegration results

Table 1 contains the summary statistics for all the variables, showing that CO₂ emissions are considerably higher on average than SO₂ emissions. Before performing any cointegration

⁵ See Jaffe *et al.* (2002) for a review of some of the theoretical implications of technological change to environmental policy.

analysis, unit root tests were run to check the order of integration of the variables. First of all we run three basic tests with no structural breaks, namely the augmented Dickey-Fuller test, the GLS-detrended ADF test of Elliot, Rothenberg, and Stock (1996) – ERS and the Phillips-Perron (1988) test - PP. However given the above point that there could be reason to believe that there is a structural break in the time series we also run the structural break unit root test of Zivot and Andrews (1992) - ZA.

This is a test of the null hypotheses of a unit root process without a structural break (equation 6 in ZA) against the alternative of trend-stationarity with a structural break in the intercept and trend. We have chosen this test as it determines the breakpoint λ endogenously, unlike its predecessor Perron (1989) where the researcher must specify the break date. For maximal generality we allow for breaks in both the constant and trend, and therefore only consider the third model of ZA, and hence run the regression:

$$\Delta y_t = \mu + \theta DU_t(\lambda) + \beta t + \gamma DT_t^*(\lambda) + \alpha y_{t-1} + \sum_{j=1}^k \phi_j \Delta y_{t-j} + v_t \quad (10)$$

Here $DU_t(\lambda)$ denotes the dummy variable for the break in the constant term from the estimated breakpoint λ so $DU_t(\lambda) = 1$ if $t > T(\lambda)$ 0 otherwise. DT_t^* is the variable for the break in the trend, namely $DT_t^* = t - T(\lambda)$ if $t > T\lambda$, 0 otherwise, As usual, the estimate of interest is α though we are also interested in the breakpoint if we can reject the null hypothesis and conclude trend stationarity with a structural break.

The results of these tests are reported in Tables 2a and 2b. Table 2a confirms that the variables are all I(1), meaning we can look for a long-run cointegrating vector amongst the variables. More notably perhaps, the evidence in Table 2b shows that we cannot reject the null hypothesis of a unit root without structural breaks, so there is not an issue of controlling

for structural breaks in the following analysis.⁶ The estimated break dates are reported in parentheses though they are not relevant following the non-rejection of the null hypothesis.

Table 3 presents the results of running the OLS regressions of Equation 1 for both CO₂ and SO₂ emissions and therefore shows the long-run EKC relations. Before analysing the results in terms of the acceptance or rejection of the EKC hypothesis, it is necessary first to look at the cointegrating behaviour of these variables, otherwise the above regressions can be deemed spurious. In tables 4 and 5 for the TAR and M-TAR tests, the ρ estimates are presented, along with the ϕ_μ or ϕ_μ^* statistics for cointegration, the standard F test for the null hypothesis $H_0 : \rho_1 = \rho_2$ to detect asymmetry and the Schwarz-Bayesian information criterion (SBC) of the regression..

The results for the asymmetric cointegration tests yield some interesting findings about dynamic misspecification in the EKC⁷. In all cases no lags are included in any of the tests as unit root tests on the ε_t residual series reveal that they are sufficiently white noise for all regressions. Firstly, it can be seen that the necessary and sufficient conditions for cointegration hold in all cases. The ρ terms have negative signs, which are significant due to the rejection of the null hypothesis $H_0 : \rho_1 = \rho_2 = 0$ in all cases and at every conventional significance level. In the basic model, equation 1, using the standard F-statistic for the restriction; $H_0 : \rho_1 = \rho_2$ shows that asymmetric cointegration is strongly significant in the TAR framework for both the CO₂ and SO₂ EKC relations. In the more powerful M-TAR

⁶ We did not present the results of the Zivot Andrews (1992) test on the differences of the variables as there is no reason why the alternative hypothesis of trend-stationarity with a structural break is appropriate for the differences of these variables.

⁷ The cointegration tests did not include a trend, as it was insignificant in all of them. It is only included in the long-run EKC model when testing the augmented model in equation (9).

framework, asymmetric cointegration is only detected in the case of per capita CO₂ emissions, but not for SO₂. Therefore the results show that the TAR adjustment process is more appropriate for SO₂. As for the CO₂ model we will follow Enders and Chumrusphonlert's (2004) advice in using the AIC or SBC to select the best adjustment mechanism. Looking at the reported SBC for each regression shows that indeed for the SO₂ model, the TAR model is more appropriate, and the M-TAR model is the most appropriate adjustment mechanism for the case of CO₂ (the appropriate minimum SBC is in bold.)

With respect to the ρ coefficients of the estimated models, we can see in both cases $|\rho_1| > |\rho_2|$. Therefore we can say that, in the basic specification, the hypothesis of stickiness of emissions holds for both CO₂ and SO₂ emissions, though they both follow slightly different adjustment processes, namely M-TAR and TAR respectively. These results point to a significant effect of environmental pressure when emissions are either rising, or above equilibrium. This may in part reflect the role of environmental regulation, with penalties from existing regulation. For the CO₂ result, the finding of an M-TAR model could be due to the emphasis placed on it in terms of reducing greenhouse gas emissions. As the political momentum has swung towards reducing CO₂ emissions, the emphasis has been on *increases* in CO₂, rather than its actual level, which drives the return to equilibrium.

Furthermore, we can see that the correction back to equilibrium is faster for CO₂ than SO₂. Comparing the TAR models of both CO₂ and SO₂, and the M-TAR models reveals this to be the case. For the selected M-TAR model for CO₂, we see that 62.11% of the deviation from equilibrium is corrected when emissions are rising, compared to only 21.57% when they are falling. Using the selected TAR model for SO₂, we can see that when emissions are temporarily above the long-run EKC, only 38.91% of the deviation is corrected in the next period, and only 15.34% is corrected when SO₂ emissions are below the EKC. This may also

reflect the relative marginal abatement costs of SO₂ and CO₂, with CO₂ being relatively easier to abate. The marginal abatement cost curves of each show that currently for the UK SO₂ is significantly more expensive to abate (Rabl et al, 2005).

Having established M-TAR cointegration in the long-run relation for CO₂, and TAR cointegration in that of SO₂, it is now possible to analyse the estimation results and what they imply for the EKC hypothesis. For CO₂, one can see that in terms of the β coefficients described in the EKC relation in Equation 1, we have $\beta_0 < 0, \beta_1 > 0, \beta_2 < 0$ and $\beta_3 > 0$, which implies an N-shaped function. This pattern is the same as found for Turkish CO₂ emissions in the time series study by Akbostanci et al. (2009). The fitted values of CO₂ emissions for the observed values of real GDP are displayed in Figure 3. These results show that there is strong evidence in favour of the EKC hypothesis. The only turning point in the observed range of real GDP for CO₂ occurs at GK\$7691 in 1990 international Geary-Khamis dollars. This shows that the inverted-U shape holds and, due to the cubic term, the curve seems to flatten-out towards the upper-end of the real GDP range.

For SO₂ emissions, the regression results are quite different, as shown in Figure 4. In this case we see the opposite signs to the CO₂ case, namely $\beta_0 > 0, \beta_1 < 0, \beta_2 > 0$ and $\beta_3 < 0$. This finding is similar to the result that Fodha and Zaghdoud (2010) find in Tunisian SO₂ data. These estimates indicate an inverse-N shape, so it is necessary to check the location of the turning points in order to see whether the EKC hypothesis is rejected or not. Once again, ignoring infeasible turning points shows that the EKC is again seen to be an inverse-U shape when looking at the estimated EKC at the observed levels of real GDP per capita. The main turning point here is located at GK\$8167, whereas using the same datasets for both real GDP per capita and SO₂ emissions, Markandya et al. (2006) find the turning point in the UK to be GK\$10,700. The graphs seem to indicate that a steeper inverted U shape for the EKC of SO₂

compared to CO₂. This is resulting from the observed sharp drop in SO₂ emissions explained in section 3.1, and this attribute of the data is translated directly into the fitted EKC for SO₂. These results are therefore strongly in favour of the EKC hypothesis in the UK for both CO₂ and SO₂ emissions with turning points of GK\$7691 and GK\$8167 respectively. Looking at the Maddison dataset we see that the turning point for CO₂ occurred in 1954, whereas for SO₂ this would have been 1958 or 1959.

The addition of energy prices and a time trend to the model has not affected the results in terms of the presence of cointegration and in the long-run equations the non-linear relationship remains significant and correctly signed, suggesting the relationship is reasonably robust. However the trend is significant indicating that technological change has contributed to the emissions of pollutants, in addition to the change in income, although the energy prices tend to be insignificant when the trend is included in the model. However the results differ for the tests on whether $\rho_1 = \rho_2$, as for the TAR model, the hypothesis is only rejected at the 10% level of significance for both carbon dioxide and sulphur dioxide. However we fail to reject the null of symmetry for the M-TAR models for both pollutants. The addition of the trend and energy prices appears to have explained part of the asymmetry in adjustment. These findings could seem to suggest that the mis-specification of the EKC model could be partially through the econometric technique used, but also through the omission of factors such as technological change.

4.2 Short-Run Error Correction Model Results

Having established asymmetric cointegrating relationships of different kinds of CO₂ and SO₂ emissions, we can now estimate the ECMs as described in Equations 7 and 8, using the appropriate TAR or M-TAR indicator functions. These results are reported in Tables 5 and 6 for CO₂ and SO₂ emissions respectively.

374 The ECM results for CO₂ and SO₂ emissions show some very similar findings. Firstly, any
 375 deviation away from the long-run EKC is corrected solely by movements in emissions, not by
 376 movements in real GDP per capita. This can be seen by the insignificance of the error
 377 correction parameter ρ_{21} in the ECM for y_t for both CO₂ and SO₂ emissions, though it is
 378 significant for CO₂ at the 10% level. This means that if emissions were above what is
 379 expected in long-run equilibrium, this error is corrected in the next period by a fall in
 380 emissions rather than a change in real GDP per capita. This is as expected because over the
 381 last two centuries there has been a policy of maximising economic growth regardless of
 382 effects on the environment, emissions have been reduced through legislation on the polluter.

383 Secondly, the results indicate that deviations from the long-run EKC for both CO₂ and SO₂
 384 are corrected in the short-run by changes in emissions according to the hypotheses made in
 385 Section 4. In other words, since $|\rho_{11}| > |\rho_{12}|$ in both cases, for CO₂ emissions adjust more
 386 quickly to correct disequilibrium when they are rising, and for SO₂ emissions change to
 387 correct disequilibrium when they are above the EKC. This is consistent with the results in
 388 Table 4 for the long-run relation. It also must be noted that the estimates of ρ_{12} and ρ_{21} are
 389 insignificant in both cases which reiterates the point that there is very little tendency for
 390 emissions to change in order to restore equilibrium when emissions are below the EKC as
 391 there is no pressure from the environmental movement for politicians to intervene if
 392 emissions are too low. Adding the gas price and trend to the error correction models makes
 393 little difference overall to the results although gas prices have a positive effect on SO₂
 394 emissions. However this measure of gas prices also takes into account the efficiency of the
 395 machinery which uses the gas, so this probably reflects the increased efficiency of the
 396 machinery rather than increases in gas prices affecting emissions positively. In the income
 397 equation, both the technological change and gas prices have a significantly positive effect.

5. Conclusion

This study uses threshold cointegration methods to study the EKC and the results shed some interesting light on how emissions behave when they are above equilibrium and showing signs of potentially violating environmental regulation. In the case of CO₂, we find that any temporary disequilibrium from the EKC relation is corrected quicker when per capita CO₂ emissions show momentum in an upwards direction than when they show momentum in a downwards direction (M-TAR adjustment.) For SO₂, a similar result is found in that any disequilibrium from the EKC relation is corrected quicker when per capita SO₂ emissions are above the EKC than when they are below the EKC (TAR adjustment.) Furthermore, the short-run error correction models reveal that disequilibrium is corrected solely by changes in per capita emissions, and not by movements in real GDP per capita, as expected since emissions have been reduced by legislation rather than a policy of reducing economic growth. This suggests mitigating CO₂ or greenhouse gas emissions and SO₂ emissions will rely more on legislation than reductions in economic growth.

With this in mind, the long-run results find strong evidence in favour of the EKC hypothesis with per capita CO₂ and SO₂ emissions having an inverse-U relation with real GDP per capita. The evidence suggests that the turning point for SO₂ occurred at a higher level of income than CO₂, at GK\$8167 and GK\$7691 respectively. The results also suggest that the asymmetry of the adjustment can be partially explained by technological change and energy prices. This suggests the EKC model needs to be estimated using an approach which accounts for asymmetric adjustment and also specified to incorporate technological change. Future studies need to concentrate on alternative measures of technological change, as the data becomes available.

References

- Akbostanci, E., Türüt-Asic, S., Tunç, I., 2009. The relationship between income and environment in Turkey: Is there an environmental Kuznets curve? *Energy Policy* 37 (3), 861-867.
- Ang, J.B., 2007. CO₂ emissions, energy consumption, and output in France. *Energy Policy* 35 (10), 4772-4778.
- de Bruyn, S.M., van den Bergh, J.C.J.M., Opschoor, J.B., 1998. Economic growth and emissions: reconsidering the empirical basis of Environmental Kuznets Curves. *Ecological Economics* 25 (2), 161–175.
- Carson, R.T., Jeon, Y., McCubbin, D.R., 1997. The relationship between air pollution emissions and income: US data. *Environment and Development Economics* 2 (4), 433–450.
- Carson, R.T., 2010. The Environmental Kuznets Curve: Seeking empirical regularity and theoretical structure. *Review of Environmental Economics and Policy* 4 (1), 3–23.
- Dickey, D.A. and Fuller, W.A. (1979), Distributions of the estimators for autoregressive time series with a unit root. *Journal of the American Statistical Association*, 74, 427-431.
- Dinda, S., 2004. Environmental Kuznets curve hypothesis: A survey. *Ecological Economics* 49 (4), 431–55.
- Elliott, G., Rothenberg, T. J., Stock, J.H., 1996. Efficient Tests for an Autoregressive Unit Root. *Econometrica* 64 (4), 813-837.
- Enders, W., Chumrusphonlert, K., 2004. Threshold cointegration and purchasing power parity in the pacific nations. *Applied Economics* 36 (9), 889–896.
- Enders, W. Siklos, P., 2001. Cointegration and threshold adjustment. *Journal of Business and Economic Statistics* 19 (2), 166–76.

- 446 Engle, R.F., Granger, C. W. J., 1987. Co-Integration and error correction: representation,
447 estimation, and testing. *Econometrica* 55 (2), 251-276.
- 448 Fodha, M., Zaghdoud, O., 2010. Economic growth and pollutant emissions in Tunisia: An
449 empirical analysis of the environmental Kuznets curve. *Energy Policy* 38 (2), 1150-1156.
- 450 Fouquet, R. 2011. Divergences in long-run trends in the prices of energy and energy services.
451 *Review of Environmental Economics and Policies*. (2) 196-218
- 452 Galeotti, M., Lanza, A., Pauli, F., 2006. Reassessing the environmental Kuznets curve for
453 CO₂ emissions: A robustness exercise. *Ecological Economics* 57 (1), 152-163.
- 454 Grossman, G.M., Krueger, A.B., 1995. Economic growth and the environment. *Quarterly*
455 *Journal of Economics* 110 (2), 353– 377.
- 456 Harbaugh, W., Levinson, A. and Wilson, D., 2002. Reexamining the empirical evidence for
457 an environmental Kuznets curve, *Review of Economics and Statistics*, 84, 541-551.
- 458 Holtz-Eakin, D., Selden, T.M., 1995. Stoking the fires?: CO₂ emissions and economic
459 growth. *Journal of Public Economics* 57 (1), 85–101.
- 460 Jaffe, A., Newell, R. and Stavins, R. 2002. Environmental policy and technological change,
461 *Environmental and Resource Economics*, 22, 41-69.
- 462 Johansen, S., 1988. Statistical analysis of cointegration vectors. *Journal of Economic*
463 *Dynamics and Control* 12 (2-3), 231-254.
- 464 Lindmark, M. 2002. An EKC-pattern in historical perspective: Carbon dioxide emissions,
465 technology, fuel prices and growth in Sweden 1870-1997. *Ecological Economics*, 42, 333-
466 347.
- 467 Managi, S., Jena, P.R., 2008. Environmental productivity and Kuznets curve in India.
468 *Ecological Economics* 65 (2), 432-440.

- 469 Markandya, A., Golub, A., Pedroso-Galinato, S., 2006. Empirical analysis of national income
470 and SO₂ emissions in selected European countries. *Environmental and Resource*
471 *Economics* 35 (3), 221-257.
- 472 Perman, R., Stern, D.I., 2003. Evidence from panel unit root and cointegration tests that the
473 Environmental Kuznets Curve does not exist. *The Australian Journal of Agricultural and*
474 *Resource Economics* 47 (3), 325-347.
- 475 Perron, P., 1989. The great crash, the oil price shock and the unit root hypothesis.
476 *Econometrica* 57, 1361-1401.
- 477 Petrucci, J., Woolford, S.W., 1984. A Threshold AR(1) Model. *Journal of Applied*
478 *Probability* 21 (2), 270–286.
- 479 Pesaran, M.H., Shin, Y., Smith, R.J., 2001. Bounds testing approaches to the level analysis of
480 level relationships. *Journal of Applied Econometrics* 16 (3), 289-327.
- 481 Phillips, P.C.B., Perron, P., 1988. Testing for a unit root in a time series regression.
482 *Biometrika* 75 (2), 335-346.
- 483 Rabl, A., Spadaro, J., van der Zwaan, B., 2005. Uncertainty of air pollution cost estimates: To
484 what extent does it matter? *Environmental Science and Technology* 39(2), 399-408.
- 485 Stern, D., 2004. The rise and fall of the environmental Kuznets curve. *World Development*,
486 32:1419-1439.
- 487 Soytaş, U., Sari, R., Ewing, B.T., 2007. Energy consumption, income, and carbon emissions
488 in the United States. *Ecological Economics* 62 (3-4), 482-490.
- 489 Vincent, J.R., 1997. Testing for environmental Kuznets curves within a developing country.
490 *Environment and Development economics* 2 (4), 417-431.
- 491 Wane, A., Gilbert, S., Dibooglu, S., 2004. Critical values of the empirical F-distribution for
492 threshold autoregressive and momentum threshold autoregressive models, 2004

- 493 Discussion Papers for the Department of Economics, Southern Illinois University at
494 Carbondale.
- 495 Wang, K.M., Thi, T.B.N., 2010. Asymmetric pass-through and risk of interest rate: an
496 empirical exploration of Taiwan and Hong Kong. *Applied Economics* 42 (5), 659-670.
- 497 Zivot, E., Andrews, D.W.K., 1992. Further evidence on the great crash, the oil-price shock
498 and the unit-root hypothesis. *Journal of Business & Economic Statistics* 10 (3), 251-270.

Figure 1: Graph of per capita CO₂ and SO₂ emissions for the UK from 1830.

Figure 2: Graph of UK real GDP per capita in 1990 international Geary-Khamis dollars from 1830

Figure 3: Graph of the fitted values of the estimated EKC results for CO₂

Figure 4: Graph of the fitted values of the estimated EKC results for SO₂

Table 1: Descriptive statistics for the common samples of per capita CO₂ and SO₂ emissions with real GDP per capita.

	CO ₂ per capita	Real GDP per capita	Gas prices	SO ₂ per capita	Real GDP per capita	Gas prices
Sample	[1830-2003 – 174 obs.]			[1850-2002 - 153 obs.]		
Mean	2.360	6733.099	909.723	0.0400	7259.7798	668.962
Median	2.640	4816.078	676.403	0.0415	5288.2658	594.225
Minimum	0.700	1749.368	4181.461	0.0084	2330.3778	1435.890
Maximum	3.224	21310.137	130.477	0.0662	20851.0396	132.630

Notes: All data is in levels

Table 2a Unit Root Tests

	CO ₂ – Data Range: 1830-2003 (174 observations)														
	ADF					ERS					PP				
	C and t		C only			C and t		C only			C and t		C only		
e_t	-1.9561	(4)	-5.2326	***	(4)	0.1634	(4)	0.6440		(4)	-1.6406	-	-3.0377	**	-
y_t	-1.7524	(1)	0.7162		(1)	-1.9331	(1)	3.5538		(1)	-0.7214	-	1.3564		-
y_t^2	-1.1899	(1)	1.1866		(1)	-1.3541	(1)	3.7783		(1)	-0.0136	-	2.1984		-
y_t^3	-0.7006	(1)	1.6509		(1)	-0.8592	(1)	4.0009		(1)	0.6190	-	3.0764		-
ep_t	-3.209	(0)	-1.061		(0)	-1.507	(0)	2.580		(0)	-2.883	-	-1.097		-
Δe_t			-10.6139	***	(3)			-2.8269	***	(4)			-18.6032	***	-
Δy_t			-9.5558	***	(0)			-7.9071	***	(0)			-9.1186	***	-
Δy_t^2			-9.3367	***	(0)			-8.2786	***	(0)			-8.8349	***	-
Δy_t^3			-9.0852	***	(0)			-8.4999	***	(0)			-8.7043	***	-
Δep_t			-11.937	***	(0)			-3.722	***	(1)			-11.933	***	-
SO ₂ – Data Range: 1850-2002 (154 observations)															
	ADF					ERS					PP				
	C and t		C only			C and t		C only			C and t		C only		
e_t	2.5209	(1)	0.8104		(1)	1.4276	(1)	-0.2121		(1)	2.4682	-	0.3577		-
y_t	-1.5739	(1)	0.9094		(1)	-1.7175	(1)	3.3469		(1)	-0.4571	-	1.6767		-
y_t^2	-1.1782	(1)	1.2666		(1)	-1.2892	(1)	3.5136		(1)	0.0580	-	2.4035		-
y_t^3	-0.8264	(1)	1.6214		(1)	-0.9265	(1)	3.6817		(1)	0.5338	-	3.1654		-
ep_t	-2.515	(1)	-0.007		(1)	-2.518	(1)	1.353		(1)	-2.058	-	0.406		-
Δe_t			-3.1446	**	(4)			-1.1880		(4)			-14.6694	***	-
Δy_t			-8.9150	***	(0)			-5.7949	***	(0)			-8.5164	***	-
Δy_t^2			-8.7024	***	(0)			-6.2227	***	(0)			-8.2599	***	-
Δy_t^3			-8.4737	***	(0)			-6.6150	***	(0)			-8.1181	***	-
Δep_t			-8.247	***	(0)			-6.181	***	(0)			-8.256	***	-

Notes: Unit root test results for y_t , y_t^2 and y_t^3 are reported for both sample sizes as the test statistics are different.

Lag length displayed in parentheses and is selected by the Schwarz-Bayesian information criterion, subject to a maximum lag length of 4 for annual data. As usual *** (**) denotes rejection of the null hypothesis at the 1% (5%) level .

Table 2b. Zivot-Andrews (1992) Unit Root Tests

CO ₂	Level	
Variable	Break date	Statistic
e_t	(1859)	-3.024
y_t	(1919)	-4.782
y_t^2	(1919)	-4.599
y_t^3	(1919)	-4.157
ep_t	(1970)	-4.416
SO ₂	Level	
e_t	(1972)	-1.041
y_t	(1919)	-5.322
y_t^2	(1919)	-4.742
y_t^3	(1919)	-4.157
ep_t	(1970)	-4.416

Notes: Critical values -5.57 (-5.08) at the 1% (5%) level of significance. Lag length determined using the Akaike Information criterion. Test includes intercept and trend.

Table 3: Estimated parameters of long-run EKC equation for both CO₂ and SO₂ emissions.

Parameter	CO ₂ Emissions		SO ₂ Emissions	
<i>constant</i>	-186.841*** (12.969)	-173.596*** (8.828)	300.288*** (8.752)	291.930*** (8.827)
y_t	59.583*** (11.870)	53.687*** (7.816)	-114.156*** (9.752)	-113.605*** (10.065)
y_t^2	-6.275*** (10.802)	-5.490*** (6.835)	14.140*** (10.646)	14.289*** (11.106)
y_t^3	0.220*** (9.828)	0.187*** (6.022)	-0.578*** (11.526)	-0.589*** (12.061)
<i>ep</i>		0.059 (1.489)		0.035 (0.568)
<i>trend</i>		-0.004*** (3.487)		-0.007*** (3.486)

Notes: t-statistics are in parentheses, see Table 2. Estimated parameters for equations (1) and (9).

Table 4. Results of TAR and M-TAR Enders-Siklos (E-S) test for cointegration on the standard EKC model

TAR	ρ_1	ρ_2	ϕ_μ	$F(\rho_1 = \rho_2)$	Lag	SBC
CO ₂	-0.592*** (7.307)	-0.286*** (2.896)	30.893***	5.743***	0	-2.419
SO ₂	-0.3891*** (-5.1960)	-0.1534* (-1.7649)	15.0567***	4.2193**	0	-2.1944
M-TAR						
CO ₂	-0.621*** (-7.933)	-0.216** (-2.142)	33.763***	10.102***	0	-2.443
SO ₂	-0.354*** (-4.856)	-0.189** (-2.076)	13.750**	1.982	0	-2.180

Notes: Results from the estimation of Equations 3 and 5 for CO₂ and SO₂ emissions*** (**)

(*) Indicates significance at the 1% (5%) (10%) level. T-statistics for ρ in parentheses

Critical values from Wane *et al.* (2004).

Table 5. Results of TAR and M-TAR Enders-Siklos (E-S) test for cointegration including gas prices and Trend.

TAR	ρ_1	ρ_2	ϕ_μ	$F(\rho_1 = \rho_2)$	Lag	SBC
CO ₂	-0.598*** (6.798)	-0.3926*** (4.125)	31.614***	3.472*	0	-2.449
SO ₂	-0.382*** (4.903)	-0.191** (2.240)	14.528***	2.885*	0	-2.197
M-TAR						
CO ₂	-0.605*** (7.224)	-0.359*** (3.532)	32.334***	2.406	0	-2.279
SO ₂	-0.340*** (-4.350)	-0.258*** (-2.837)	13.487**	0.465	0	-2.218

Notes: See Table 4, model includes ϵp and a trend.

Table 6. Results for the M-TAR error correction models for CO₂.

Parameter	Dependent Variable Δe_t			Dependent Variable Δy_t	
ρ_{11}	-0.557*** (6.254)	-0.554*** (5.638)	ρ_{21}	-0.066* (1.876)	-0.027 (0.737)
ρ_{12}	-0.081 (0.773)	-0.169 (1.499)	ρ_{22}	0.038 (0.896)	0.069 (1.635)
α_{11}	-24.073 (0.838)	-16.559 (0.543)	α_{21}	0.501 (0.044)	-0.322 (0.028)
α_{12}	2.942 (0.880)	2.014 (0.567)	α_{22}	-0.105 (0.080)	0.076 (0.056)
α_{13}	-0.118 (0.912)	-0.080 (0.581)	α_{23}	0.008 (0.162)	-0.002 (0.046)
α_{14}	-0.238*** (3.057)	-0.242*** (3.020)	α_{24}	-0.066** (2.154)	-0.074** (2.463)
$\alpha_{15}(ep)$		0.048 (0.077)	$\alpha_{15}(ep)$		0.056* (1.918)
$\alpha_{16}(trend)$		-0.00002 (0.290)	$\alpha_{16}(trend)$		0.00001*** (3.045)

Notes: See Table 2. The first column includes the parameters contained in equations 7, the fourth column the parameters from equation 8. *ep* are energy prices.

Table 7. Results for the TAR error correction models for SO₂

Parameter	Dependent Variable Δe_t			Dependent Variable Δy_t	
ρ_{11}	-0.342*** (3.589)	-0.285*** (2.758)	ρ_{21}	-0.009* (1.876)	0.001 (0.028)
ρ_{12}	-0.053 (0.480)	-0.134 (1.243)	ρ_{22}	-0.016 (0.459)	0.026 (0.747)
α_{11}	-62.519 (1.013)	-67.328 (1.110)	α_{21}	-10.648 (0.554)	-11.848 (0.650)
α_{12}	7.809 (1.113)	8.297 (1.203)	α_{22}	1.179 (0.540)	1.398 (0.674)
α_{13}	-0.322 (1.211)	-0.338 (1.294)	α_{23}	-0.041 (0.497)	-0.053 (0.673)
α_{14}	-0.199** (2.173)	-0.215** (2.325)	α_{24}	-0.074** (2.610)	-0.071** (2.446)
$\alpha_{15}(ep)$		0.258* (2.216)	$\alpha_{15}(ep)$		0.072** (2.044)
$\alpha_{16}(trend)$		-0.00001 (0.025)	$\alpha_{16}(trend)$		0.0001** (2.857)

Notes: See Table 5.