

*Citation for published version:*

Zhang, M, Al Hosani, E & Soleimani, M 2014, 'A limited region electrical capacitance tomography for detection of wax deposits and scales in pipelines', Paper presented at 5th International Workshop on Process Tomography (IWPT-5), 2014, Jeju, Korea, Democratic People's Republic of, 16/09/14 - 18/09/14.

*Publication date:*  
2014

*Document Version*  
Early version, also known as pre-print

[Link to publication](#)

**University of Bath**

**Alternative formats**

If you require this document in an alternative format, please contact:  
[openaccess@bath.ac.uk](mailto:openaccess@bath.ac.uk)

**General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

**Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

## A limited region electrical capacitance tomography for detection of wax deposits and scales in pipelines

Maomao Zhang, Manuchehr Soleimani

Engineering Tomography Laboratory (ETL), Department of Electronic and Electrical Engineering,  
University of Bath, UK.  
m.soleimani@bath.ac.uk

### ABSTRACT

Pipelines are very critical infrastructures allowing flow of many essential components in modern lives. The deposit of scales and waxes can create problem in many industrial flow. Examples are in scale formation on crude oil pipelines. For crude oil pipelines a chemical removal method is used for cleaning of the deposits in aboveground pipelines and a pigging method is used for underground and subsea pipelines. Deposit of scales is a major source of malfunctioning of the pipeline and the downtime of cleaning process can be very costly. In this paper we present a high resolution limited region [1] electrical capacitance tomography (ECT) for reconstruction of deposit in interior of plastic pipes [2, 3]. ECT provides an early detection of level of scaling and deposits in pipeline using a non-invasive capacitive measurements. In our proposed method a simple limited region tomography algorithm is developed enhancing the ECT imaging resolution allowing for detection of low level depositions. The experimental results are shown in figure 1. Further laboratory experimental data will be used to evaluate smallest level of deposit that can be detected.




Figure 1: pipeline wax deposition inspection with 12 electrodes ECT data

**Keywords:** ECT, pipeline deposit monitoring, limited region tomography

### REFERENCES

1. Evangelidis, M., L. Ma, and M. Soleimani, *HIGH DEFINITION ELECTRICAL CAPACITANCE TOMOGRAPHY FOR PIPELINE INSPECTION*. Progress In Electromagnetics Research, 2013. **141**.
2. Huang, S., et al., *Capacitance-based tomographic flow imaging system*. Electronics letters, 1988. **24**(7): p. 418-419.
3. Azevedo, L. and A. Teixeira, *A critical review of the modeling of wax deposition mechanisms*. Petroleum Science and Technology, 2003. **21**(3-4): p. 393-408.