



Citation for published version:

Murphy, E, Crick, T & Davenport, J 2016 'An Analysis of Introductory University Programming Courses in the UK' University of Bath, Bath.

Publication date:
2016

Document Version
Peer reviewed version

[Link to publication](#)

Publisher Rights
CC BY-NC

University of Bath

Alternative formats

If you require this document in an alternative format, please contact:
openaccess@bath.ac.uk

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

An Analysis of Introductory University Programming Courses in the UK

Ellen Murphy¹, Tom Crick² and James H. Davenport³

¹Institute for Mathematical Innovation, University of Bath, UK

²Dept. of Computing, Cardiff Metropolitan University, UK

³Dept. of Computer Science, University of Bath, UK

¹e.murphy@bath.ac.uk

²tcrick@cardiffmet.ac.uk

³j.h.davenport@bath.ac.uk

September 21, 2016

Abstract

This paper reports the results of the first survey of introductory programming courses ($N = 80$) taught at UK universities as part of their first year computer science (or similar) degree programmes, conducted in the first half of 2016. Results of this survey are compared with a related survey conducted since 2010 (as well as earlier surveys from 2001 and 2003) in Australia and New Zealand. We report on student numbers, programming paradigm, programming languages and environment/tools used, as well as the reasons for choice of such.

The results in this first UK survey indicate a dominance of Java at a time when universities are still generally teaching students who are new to programming (and computer science), despite the fact that Python is perceived to be both easier to teach as well as to learn. Furthermore, this survey provides a starting point for valuable pedagogic baseline data in the context of substantial computer science curriculum reform in UK schools, as well as increasingly scrutiny of teaching excellence and graduate employability for UK universities.

1 Introduction

For many years – and increasingly at all levels of compulsory and post-compulsory education – the choice of programming language to introduce basic programming principles, constructs, syntax and semantics has been regularly revisited. Even in the context of what are perceived to be the most difficult introductory topics in computer science degrees, numerous key themes across programming frequently appear [1].

So what is a good first programming language? The issues surrounding choosing a first language [2, 3] – and a search of the ACM Digital Library identified a number of papers of the form “*X as a first programming language*”, going as far back as the 1970s – appear to be legion, especially with discussions of what precisely we aim to achieve from teaching programming [4, 5], through to the potential impact on students’ grades and attainment [6, 7, 8, 9]. It appears that decades of research on the teaching of introductory programming has had limited effect on classroom practice [10]; although relevant research exists across several disciplines including education and cognitive science, disciplinary differences have made this material inaccessible to many computing educators. Furthermore, computer science instructors have not had access to comprehensive surveys of research in this area [11, 10].

However, in Australia and New Zealand there have been longitudinal data collections [12, 13, 14] surveying the teaching of introductory programming courses in universities. Surprisingly, such surveys have not been conducted elsewhere on this scale, and this paper reports the findings from running the first such similar survey in the UK.




Figure 1: The number of responding universities per Nation/ Tariff Group.

We remind the reader that the UK consists of four nations (with an overall population of 64.5 million: England: 54.3 million, Scotland: 5.3 million, Wales: 3.1 million and Northern Ireland: 1.8 million) historically ruled by one parliament, but now including three devolved assemblies responsible for the four separate education systems. In the context of increasing international focus on curriculum and qualification reform to support computer science education and digital skills in schools, the four education systems of the UK have proposed and implemented a variety of changes [15, 16, 17], particularly in England, with a new compulsory computing curriculum for ages 5-16 from September 2014 [18]. For universities across the UK offering computer science degrees [19], this school curriculum reform has had uncertain (and emerging) impact on the delivery of their undergraduate programmes, with the diversity of the educational background of applicants likely to increase before it narrows: it is certainly possible now for prospective students to have anywhere from zero to four or five years experience (and potentially two school qualifications) in computer science with some knowledge of programming.

Over the past three years, there has been increasing scrutiny of the quality of teaching in UK universities, partly linked to the current levels – and potential future increases – of tuition fees (generally paid by the student through government-supported loans), as well as relative levels of graduate employability and the perceived value of professional body accreditation by industry. In February 2015, the UK Department of Business, Innovation & Skills initiated independent reviews of STEM degree accreditation and graduate employability¹, with a specific focus – the Shadbolt review [20] – on computer science degree accreditation and graduate employability, reporting back in May 2016. Alongside a number of recommendations to address the relatively high unemployment rates of computer sciences graduates, particularly on the quality of data, course types, gender and demographics, the Shadbolt review split generalist universities in England into three bands, based on their average (across all subjects) entrance tariff (qualifications of entrants); we have followed that banding during our analysis the English results, so our data should allow comparisons.

Thus, in this evolving environment of new policy and curricula, as well as the emerging demands of innovative pedagogies and high-quality learning and teaching for computer science degree programmes, we present the findings from the first national scale survey of introductory programming languages at UK universities. Through this first UK wide survey of universities, we identify and analyse findings in student numbers, programming paradigm, programming languages and environment/tools used, as well as the reasons for choice of such are reported.

¹<https://www.gov.uk/government/collections/graduate-employment-and-accreditation-in-stem-independent-reviews>




Figure 2: Language popularity by percentage of courses and students (excl. OU).

2 Methodology

2.1 Recruitment of Participants

To recruit for the survey, a general call for participants was sent out to the Council of Professors and Heads of Computing (CPHC) membership; CPHC is the representative body for university computer science departments in the UK, with nearly 800 members at over 100 institutions². The survey was hosted online and was available from mid-May until the end of June 2016; the invitation asked for the survey to be passed on to and completed by the most appropriate person in that institution. Due to the recruitment method, there were a number of duplicate responses from certain departments, and these were reconciled by direct enquiry.

2.2 Questions

The questions used in the survey were generously provided by the authors of the 2013 Australia and New Zealand survey [14], so as to allow direct comparison with the results of this survey. Where possible, questions were left unchanged, although a small minority were edited to reflect the UK target audience. As defined in the 2013 Aus/NZ survey, the terminology “course” was used for “*the basic unit of study that is completed by students towards a degree, usually studied over a period of a semester or session, in conjunction with other units of study*”.

The first section of the survey asked about the programming language(s) in use, the reasons for their choice, and their perceived difficulty and usefulness. Then, questions regarding the use of environments or development tools; which ones were used, the reasons for their choice and the perceived difficulty. General questions about paradigm, instructor experience and external delivery were asked, along with questions regarding students receiving unauthorised assistance, and the resources provided to students. Finally, participants were asked to identify their top three main aims when teaching introductory programming, and were also allowed to provide further comments.

In the 2013 Aus/NZ survey, participants were asked to rank the importance of the reasons for choosing a programming language, environment or tool. Due to technical limitations in the online survey tool used, it was not possible to do so in this survey, so Figure 3 only reports counts. Most questions were not mandatory; the exceptions were “*what programming language(s) are in use?*” and a small number of feeder questions to allow the survey to function correctly.

²<https://cphc.ac.uk/who-we-are/>




Figure 3: Reasons given for choosing a programming language by percentage for: all languages; Java; and Python.

3 Results and Discussion

3.1 Universities and Courses

Upon completion of the survey, 155 instructors had, at least, started the survey. Sixty-one of these dropped out before answering the mandatory questions, and a further 14 were duplicates. Therefore, the results presented here are drawn from the responses of 80 instructors from at least 70 institutions. Some participants did not answer all questions and due to this the response rate varies by question.

Excluding the Open University’s 3200 students, the participants in the survey represented 13462 students, with a mean of 173 (but a standard deviation of 88). Looking at Figure 1 we see good response rates, apart from the specialist higher education institutions (most of whom do not teach computing) and the “low tariff” English ones. Fewer of these teach computing; this factor alone explains the response rate. In Northern Ireland, we had responses from the two universities, but not the university colleges, which are historically teacher-training colleges.

3.2 Languages

One of the mandatory questions in the survey, and a major point of interest related to the programming languages in use in introductory programming courses. Participants were asked to select languages from a list of 22 programming languages and also had the option to choose “Other” and specify a language not included in the list. The majority of courses surveyed (59 out of 80) use only one programming language, with 17 using two (and only three and one institutions using three and four languages respectively). From the 80 courses, the total number of *language instances* is 106, as some courses use more than one language to teach introductory programming.

Of the 22 languages provided, 13 were selected at least once. The relative popularity of languages is shown in Figure 2, where the prevalence is given by the percentage of a language over all language instances (106 total), and weighted by student numbers (16662 total) per language instance. The programming languages that were not selected at all were: Actionscript, Ada, Delphi, Eiffel, Fortran, jBase, Lisp, Ruby and Visual Basic.

The relative popularity of languages is the immediate major difference with the 2013 Aus/NZ survey; their survey showed a dead heat (27.3% of language instances) between Java and Python, with Python winning (33.7% to 26.9%) when weighted by the number of students on the course. Our findings (Figure 2) show that Java is a clear winner by any metric, being used in over half the courses




Figure 4: The breakdown of programming languages by Nation and Tariff Groups.

(61.3%) and just under half of all language instances (46.2%), while the runner-up, Python, is in use in 17.5% of courses and makes up 13.2% of language instances. The C family (C, C++ and C#) together is in use in 31.3% of introductory programming courses, and scores 23.6% of language instances and 19.5% by students. Figure 2 shows the effect of student-number weighting *but* we have excluded the Open University from this weighting, as its 3200 students learning Python (and Sense, a variant of Scratch) would have distorted the comparison.

For each language selected, participants were asked to give the reasons for choosing that language for the introductory programming course. Figure 3 shows the frequency of these reasons for all languages grouped together and for Java and Python individually. When the reasons given are combined for all languages, three reasons tie for first place: “*relevance to industry*”; “*object-oriented language*”; and “*availability and cost to students*”, all chosen by 54.5% of participants who answered this question.

Looked at individually, the most popular reason given for choosing Java is “*object-oriented language*” at 87.2%, while Python scores highest on “*pedagogical benefits*”, at 72.7%. This may explain the popularity of Java: Java scores higher on “*relevance to industry*” and, perhaps somewhat surprisingly, much higher on “*object-oriented language*” than Python, which scores only 18.2%.

Figure 4 breaks down the choice of language by nation and tariff group. It is noticeable that the three English tariff groups differ significantly, with Python outnumbering Java in the low tariff universities, and C being almost exclusively in the high tariff universities. Figure 5 gives the instructors’ views on languages. It is noteworthy that Java is among the most difficult, and not among the pedagogically most useful.

For each language chosen, instructors were asked whether the language was used: for the whole of the first programming course; for the first part of the first programming course, followed by another;




Figure 5: The median of the perceived difficulty and [pedagogic] usefulness of language, where 1 is ‘extremely easy/useful’ and 7 is ‘extremely difficult/useless’.

after another language in the first programming course. Of 93 language instances, the majority (65%) are used for the whole of the introductory programming course, 14.0% of language instances are used in the first part of a course and 21.5% of language instances are used after another programming language. Results are displayed in Figure 6.




Figure 6: For each language, whether the language is used: for the whole of the first programming course; for the first part of the first programming course, followed by another; after another language in the first programming course.

3.3 Paradigm Taught

Instructors were asked what paradigm was being taught in their introductory programming course, regardless of what is traditionally thought to apply to the language(s) in use. This question, understandably, caused some dissatisfaction in the comments section, with many participants noting that more than paradigm is taught in their course. Although this was to be expected, we wanted to be able to directly compare our results to the 2013 Aus/NZ survey, and so did not alter the question. The most popular paradigm is object-oriented with 50% ($N = 40$) followed by procedural ($N = 27$, 33.8%) and functional ($N = 7$, 8.75%); logical was also offered as a choice but was not selected.

The results of the previous question were used to analyse (Figure 7) the prevalence of paradigms across nations and tariff score groups. Caution must be applied when interpreting these results, as




Figure 7: The breakdown of the main paradigm in use for every Tariff Group.

participants could only choose one paradigm, even though more may be in use.

In the same way as above, the languages chosen were analysed (Figure 8) with regard to the main paradigm in use. Again, caution must be applied, as for a given course, only one paradigm is chosen, even though more than one language and/or paradigm may be in use. This explains the respondents who used C, but stated that OO was the main paradigm, for example. More surprising is the fact that Python was almost exclusively viewed as procedural.

3.4 Instructor Experience

Participants were asked: “How many years have you been involved in teaching of introductory programming?”. The results, shown in Table 1, indicate that of the survey participants, the average was between 10-20 years.

Table 1: The number of years the instructor has been teaching introductory programming.

Years	<2	2 - 5	5 - 10	10 - 20	20 - 30	>30
Instructors	3	9	9	27	19	7




Figure 8: The breakdown of the main paradigm in use for each programming language.

3.5 IDEs and Tools

Participants in the survey were asked if they encouraged students in the first programming course to use environments and/or tools beyond simple text editors and command line compilers. The majority of participants of this question (74.4% of 78 instructors) responded that they did encourage tools. Of the 58 instructors that did select a tool/IDE, the majority (58.6%) use only one, with 25.8% and 10.3% using two and three respectively; very few (5.2%) used four or more, with one respondent using eight.

The survey asked participants to select the tools and IDEs in use in their introductory programming course out of a list of 24, which the option to specify “Other”. Of the 24 provided, 12 were chosen at least once. The relative popularity of IDEs and tools is shown in Figure 9. The most popular tool/IDE in the survey was Eclipse, reported in 37.5% of courses and scoring 25.0% of tool/IDE instances, and 26.8% when weighted by students. Following this is “No Tool/IDE”, which accounts for 27.5% of courses. The second most popular tool/IDE is BlueJ, which was reported in 22.5% of courses and scored 15.0% of tool/IDE instances, and 15.5% when weighted by students. Participants were also asked why each tool/IDE was chosen for their course, and asked to select from a list of reasons. The results of this are give in Figure 10, for all tools and IDEs grouped together, and for the two most popular choices, Eclipse and BlueJ. The tools and IDEs not selected at all were: AdaCore, Alice, App, Browser, Greenfoot, Jeroo, Jython, KTechLab, MySQL, Pelles, Quincy, Wing101 and Xcode.




Figure 9: Tool or environment popularity by percentage of courses and students.




Figure 10: Reasons given for choosing a tool or environment by percentage for: all tools and environments; BlueJ; and Eclipse.

3.5.1 Reuse of Tool/IDE

Instructors were also asked whether the tool/IDE was used for an initial part of the first programming course or throughout the whole of the course; and whether it was used in any other course in the degree (Figure 11).

3.5.2 Difficulty of Tool/IDE

In addition to this, instructors were asked to rate how difficult *they* found the tool/IDE on a Likert scale from “*Extremely Easy*” (1) to “*Extremely Difficult*” (7), and also how difficult they believed *the students* found the tool/IDE, shown in Figure 12.

We note that, while Eclipse is the most popular tool by some way, it is also deemed to be most difficult. This, apparently perverse, practice might be explained by the extent of re-use of Eclipse in other courses.




Figure 11: For each tool or environment, whether it is used: for an initial part of the first programming course; throughout the whole of the first programming course; in any other course in the degree.




Figure 12: The median difficulty rating of tool for the instructor and students to use, where 1 is ‘extremely easy’ and 7 is ‘extremely difficult’.

3.6 Other Aspects of the Course

3.6.1 External Delivery

Participants were asked “*Do you offer external delivery of your course? (i.e. do you have options for your course where students are not required to attend regular lectures, workshops, labs or tutorials?)*”. The responses to this question were overwhelmingly in the negative; 70/74 (94.6%) answered “No”.

3.6.2 Resources Provided to Students

The questionnaire asked about the resources in terms of examples, books etc. provided to students. The results are rather similar to the 2013 Aus/NZ survey [14, Figure 14] and are displayed in Figure 13. The most popular resources selected were: “*lecture slides or notes provided by the lecturer*” in first place, “*worked examples of programming problems/solutions*” in second, and third place was shared by “*textbook is specified*” and “*discussion boards/forums*”.




Figure 13: Resources provided to students.

3.6.3 Unauthorised Assistance

The vast majority of instructors surveyed (89.3%) do consider the possibility that students or groups of students may be receiving unauthorised assistance (e.g. from other students in the class, from people outside the class, or via the internet) when doing assignments. When asked how concerned they were about this possibility, 9 answered “*not concerned*”, 39 answered “*somewhat concerned*” and 17 reported “*very concerned*”.

We also asked participants: “*What steps do you take to try to determine whether students have received unauthorised assistance on assignments?*”. The details are displayed in Figure 14 and range from “*notice unlikely similarities*” (59.1% of the 66 instructors who responded to this question) to “*interview some students/groups at random*”, selected by only five instructors.

3.7 Aims of an Introductory Programming Course

The 2013 Aus/NZ survey asked their respondents for the aims of their introductory programming course. They, and we, asked for (up to) three aims. The authors then attempted to classify the free-text answers into the same categorisation as [14] used. While it is trivial to map the written aim “*Thinking algorithmically*” to “*Algorithmic thinking*” [14] and so on, many were not so clear: for example, we mapped “*To learn a specific language*” to “*Syntax/writing basic code*”. There were also a class of aims, such as “*Establish professional software development practices*”, that seemed very coherent, but did not map clearly to the [14] aims. These we have categorised as “*Software Engineering*”. Results of this question are shown in Figure 15.

4 General Discussion

4.1 The UK Context

As presented in Section 3.2, our findings show that Java is the most popular introductory programming language in UK universities, more than twice as popular as Python in second place; the C family of languages (C, C++ and C#) together is in use in nearly a third of introductory programming courses. We were surprised by the viewpoint expressed of Python, as a multi-paradigm language, as being largely procedural; from the authors’ experiences, the dominance of Java has been a trend for the past




Figure 14: Steps taken to determine whether students have received unauthorised assistance on assignments.




Figure 15: Aims of the introductory course.

ten years, but we would expect to see a steady increase in Python due to influences from the changes to school curricula in the UK [17].

We note that from a smaller survey conducted in July 2014, Python is the most popular language for teaching introductory computer science courses at top-ranked US university departments; specifically, eight of the top 10 CS departments (80%), and 27 of the top 39 (69%), teach Python in introductory CS0 or CS1 courses [21]. This together with [14] and Figure 5 might make one question the UK’s domination by Java, although longstanding industry popularity as measured by community indices may still be a significant determining factor [22].

From a UK policy perspective, a new national Teaching Excellence Framework³ has been proposed, with a core ambition to “to raise the quality and status of teaching in higher education institutions”; excellence is to be measured through a series of proxy metrics that include student satisfaction, retention and graduate employability. There have been significant concerns about the aims of the framework, as well as the suitability of the metrics; it remains to be seen how this will affect computer science curricula in UK institutions going forward, especially if there is renewed demand for meeting

³<http://www.hefce.ac.uk/lt/tef/>

the immediate (but potentially transient) needs of the IT industry with specific tools, languages and environments, as well as reformed professional body accreditation as per the Shadbolt review.

The UK's Higher Education Academy – the national body which champions teaching quality – has previously supported initiatives for improving learning and teaching in computer science, including innovative pedagogies for programming [23, 24], but we have not yet seen the desired cascading of best practice and wider national impact.

4.2 Comparison with Australasia

Here we compare with the latest Australasian survey [14]. We have already commented on the major difference in language choice, which colours many of the other comparisons. In fact, the UK's language choices seem more similar to Australasia's 2010 choices [13] and [14, Table 4] than even Australasia's 2013 choices. It is hard to know which comes first, but we also notice that our difficulty/utility data (Figure 5) is somewhat different from [14, Figures 7/8].

Another difference shows up in the tools/environments are: Figure 9 versus [14]'s Figure 11. There, “None” and “Other” were the top two categories, with IDLE, at 15%, the most popular named product. In the UK, “None” is second, “Other” is sixth and IDLE eighth. Eclipse, the UK favourite, was an “also ran” in [14].

5 Acknowledgements

The authors would like to thank the participants for their engagement with the survey, as well as R. Mason and G. Cooper from Southern Cross University, Australia, for providing us with their survey and permission to use it. We are grateful to the GW4 Alliance (Universities of Bath, Bristol, Cardiff and Exeter) for funding the survey.

Those data created during this research project that do not infringe the anonymity of the respondents are openly available from the University of Bath data archive at <http://doi.org/10.15125/BATH-00246>.

References

- [1] N. B. Dale, “Most difficult topics in CS1: results of an online survey of educators,” *ACM SIGCSE Bulletin*, vol. 38, no. 2, pp. 49–53, 2006.
- [2] D. Gupta, “What is a good first programming language?,” *Crossroads*, vol. 10, no. 4, 2004.
- [3] R. M. Kaplan, “Choosing a first programming language,” in *Proc. ACM Conf. on Information Technology Education*, pp. 163–164, 2010.
- [4] S. Fincher, “What are we doing when we teach programming?,” in *Proc. 29th Annual Frontiers in Education Conf.*, 1999.
- [5] C. Schulte and J. Bennedsen, “What do teachers teach in introductory programming?,” in *Proc. 2nd Int. Workshop on Computing Education Research*, pp. 17–28, 2006.
- [6] Simon, S. Fincher, A. Robins, B. Baker, I. Box, Q. Cutts, M. de Raadt, P. Haden, J. Hamer, M. Hamilton, R. Lister, M. Petre, K. Sutton, D. Tolhurst, and J. Tutty, “Predictors of success in a first programming course,” in *Proc. 8th Australasian Conf. on Computing Education*, pp. 189–196, 2006.
- [7] S. Bergin and R. Reilly, “Predicting introductory programming performance: A multi-institutional multivariate study,” *Computer Science Education*, vol. 16, no. 4, pp. 303–323, 2006.
- [8] L. Porter, M. Guzdial, C. McDowell, and B. Simon, “Success in introductory programming: what works?,” *Communications of the ACM*, vol. 56, no. 8, pp. 34–36, 2013.

- [9] M. Ivanović, Z. Budimac, M. Radovanović, and M. Savić, “Does the choice of the first programming language influence students’ grades?,” in *Proc. 16th Int. Conf. on Computer Systems and Technologies*, pp. 305–312, 2015.
- [10] A. Pears, S. Seidman, L. Malmi, L. Mannila, E. Adams, J. Bennedsen, M. Devlin, and J. Paterson, “A Survey of Literature on the Teaching of Introductory Programming,” *ACM SIGCSE Bulletin*, vol. 39, no. 4, pp. 204–223, 2007.
- [11] M. McCracken, V. Almstrum, D. Diaz, M. Guzdial, D. Hagan, Y. Kolikant, C. Laxer, L. Thomas, I. Utting, and T. Wilusz, “A multi-national, multi-institutional study of assessment of programming skills of first-year CS students,” *ACM SIGCSE Bulletin*, vol. 33, no. 4, pp. 125–180, 2001.
- [12] M. Raadt, R. Watson, and M. Toleman, “Trends in introductory programming courses in Australian universities: languages, environments and pedagogy,” in *Proc. 6th Australasian Computing Education Conf.*, pp. 277–282, 2004.
- [13] R. Mason, G. Cooper, and M. Raadt, “Trends in introductory programming courses in Australian universities: languages, environments and pedagogy,” in *Proc. 14th Australasian Computing Education Conf.*, pp. 33–42, 2012.
- [14] R. Mason and G. Cooper, “Introductory programming courses in Australia and New Zealand in 2013 – trends and reasons,” in *Proc. 16th Australasian Computing Education Conf.*, pp. 139–147, 2014.
- [15] Royal Society, “Shutdown or restart? The way forward for computing in UK schools,” January 2012.
- [16] N. Brown, M. Kölling, T. Crick, S. Peyton Jones, S. Humphreys, and S. Sentance, “Bringing Computer Science Back Into Schools: Lessons from the UK,” in *Proc. 44th ACM Technical Symp. on Computer Science Education*, pp. 269–274, 2013.
- [17] N. Brown, S. Sentance, T. Crick, and S. Humphreys, “Restart: The Resurgence of Computer Science in UK Schools,” *ACM TOCE*, vol. 14, no. 2, pp. 1–22, 2014.
- [18] Department for Education, “National curriculum in England: computing programmes of study.” <https://www.gov.uk/government/publications/national-curriculum-in-england-computing-programmes-of-study>, September 2013.
- [19] QAA, *Subject Benchmark Statement: Computing*. Quality Assurance Agency, February 2016.
- [20] N. Shadbolt, *Computer science degree accreditation and graduate employability: Shadbolt review*. Department for Business, Innovation & Skills, UK Government, May 2016.
- [21] P. Guo, “Python is Now the Most Popular Introductory Teaching Language at Top U.S. Universities.” <http://cacm.acm.org/blogs/blog-cacm/176450-python-is-now-the-most-popular-introductory-teaching-language-at-top-us-universities>, July 2014.
- [22] TIOBE, “TIOBE Index for September 2016.” <http://www.tiobe.com/tiobe-index/>, September 2016.
- [23] T. Crick, J. H. Davenport, and A. Hayes, “Innovative Pedagogical Practices in the Craft of Computing,” *Innovative Pedagogies in the Disciplines*, Higher Education Academy, 2015. <https://www.heacademy.ac.uk/innovative-pedagogical-practices-craft-computing>.
- [24] J. H. Davenport, A. Hayes, R. Hourizi, and T. Crick, “Innovative Pedagogical Practices in the Craft of Computing,” in *Proc. 4th Int. Conf. on Learning & Teaching in Computing and Engineering*, 2016.