



Citation for published version:

Morgan, P, Voinescu, A, Williams, C, Caleb-Solly, P, Alford, C, Shergold, I, Parkhurst, G & Pipe, A 2017, An Emerging Framework to Inform Effective Design of Human-Machine Interfaces for Older Adults Using Connected Autonomous Vehicles. in N Stanton (ed.), *Advances in Intelligent Systems and Computing*. vol. 597, Advances in Intelligent Systems and Computing, Springer International Publishing, pp. 325-334.
https://doi.org/10.1007/978-3-319-60441-1_33

DOI:

[10.1007/978-3-319-60441-1_33](https://doi.org/10.1007/978-3-319-60441-1_33)

Publication date:

2017

Document Version

Peer reviewed version

[Link to publication](#)

This is a post-peer-review, pre-copyedit version of an article published in AFHE 2017: Advances in Human Aspects of Transportation. The final authenticated version is available online at: https://doi.org/10.1007/978-3-319-60441-1_33

University of Bath

Alternative formats

If you require this document in an alternative format, please contact:
openaccess@bath.ac.uk

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

An Emerging Framework to Inform Effective Design of Human-Machine Interfaces for Older Adults Using Connected Autonomous Vehicles

Phillip L. Morgan^{1,2}, Alexandra Voinescu^{1,2}, Craig Williams^{1,3},
Praminda Caleb-Solly^{1,4}, Chris Alford^{1,2}, Ian Shergold^{1,5}, Graham Parkhurst^{1,5} and
Anthony Pipe^{1,4}

¹ University of the West of England – Bristol, Frenchay Campus, Coldharbour Lane, Bristol, BS16 1QY, United Kingdom

{phil.morgan, alexandra.voinescu, craig6.williams, praminda.caleb-solly, chis.alford, ian.shergold, graham.parkhurst, tony.pipe}@uwe.ac.uk

² Psychological Sciences Research Group, University of the West of England – Bristol, Frenchay Campus, Coldharbour Lane, Bristol, BS16 1QY, United Kingdom

³ Centre for Health and Clinical Research, University of the West of England – Bristol, Frenchay Campus, Coldharbour Lane, Bristol, BS16 1QY, United Kingdom

⁴ Bristol Robotics Laboratory, University of the West of England – Bristol, Frenchay Campus, Coldharbour Lane, Bristol, BS16 1QY, United Kingdom

⁵ Centre for Transport and Society, University of the West of England – Bristol, Frenchay Campus, Coldharbour Lane, Bristol, BS16 1QY, United Kingdom

Abstract. Connected autonomous vehicles (CAVs) represent an exciting opportunity for wider access to mobility; especially for individuals unable to drive manual vehicles. Interaction with CAVs will be through human-machine interfaces (HMIs) providing journey-related and other information with some interactivity. These should be designed with potential users as part of a co-design process to maximize acceptance, engagement, and trust. This paper presents an emerging framework to inform the design of in-vehicle CAV HMIs with a focus on older adults (70-years+). These could be amongst early adopters of CAVs and tend to have the highest level of cognitive, sensory, and physical impairments. Whilst there are numerous principles on HMI design for older adults there are fewer on HMIs for AVs, and a need for research on CAV HMI design principles for older adults. Our emerging framework is novel and important for designers of CAV HMIs for older adults and other potential users.

Keywords: Connected Autonomous Vehicle · Human Machine Interface · Older Adults · Design

1 Introduction

Connected autonomous vehicle (CAV) technology is developing rapidly. These are referred to as Level 5 AVs in frameworks of vehicle autonomy defined by SAE International [1] as *‘the full-time performance by an automated driving system of all aspects of the dynamic driving task under all roadway and environmental conditions that can*

be managed by a human driver'. There is no fallback of system controls on the person(s) being driven who can have 'mind' as well as 'eyes' off the road during CAV journeys. As such, fully autonomous vehicles may not require manual input devices such as steering wheels which require a requisite level of dexterity. Instead, interaction is likely to be through screen and speech-based human-machine interfaces (HMIs) providing vehicle-related (e.g., speed, time to destination, information about local area) and other information (e.g., in-car entertainment) with perhaps some interactivity capabilities to specify and personalize journeys.

The current paper showcases work from an early phase of an Innovate UK funded project – Flourish – *Empowerment through Trusted Secure Mobility (2016-19)*. The paper is related to one of the key project aims: exploring user interaction by focusing on the needs and experience when using CAV technology. It represents early stages of a larger framework being developed to inform the effective design of HMIs for a population sector likely to benefit from early adoption of CAVs: older adults. Within the emerging framework, older adults are defined as individuals' 70-years or above with normal aging related cognitive, sensory, and/or physical impairments. The key focus is on factors likely to determine user acceptance, engagement, trust, and likely continued usage of CAV HMIs.

2 Review Method and Research Questions

Search terms were used to guide the review (with multiple combinations) including: human machine interface, display design, autonomous vehicle, connected, driverless car, automation, elderly and older adults. Key disciplines of interest were: psychology, human factors, ergonomics, aging, gerontology, transport studies, engineering, robotics, and computer science. The search had three stages: (i) *University of the West of England-Bristol* online library database, (ii) general scholarly search engine (*Google Scholar*), and, (iii) general search engine (*Google*). The procedure resulted in multiple references deemed relevant from titles, keywords, and abstracts/summaries that were reviewed thoroughly and scored by members of the research team in terms of relevance to in-vehicle CAV HMI design questions outlined below. This involved a scale ranging from 0 (not relevant) to 5 (very relevant). Those rated 5 were regarded as key references, 3-4 very relevant, and 1-2 lower status (e.g., to support general points). References rated zero were discarded. Our CAV HMI design questions were as follows:

1. What are the leading generic HMI design principles that could inform the development of a CAV in-vehicle HMI for use by older adults?
2. What aging-related impairments should be considered in regards to the accessibility and usability of a CAV in-vehicle HMI?
3. What aging-related impairments should be considered in regards to the functionality and adaptability of a CAV in-vehicle HMI?

3 Emerging Principles

3.1 Leading Generic HMI Design Principles that Could Inform the Development of a CAV In-Vehicle HMI for Use by Older Adults

Numerous early HMIs seemed to violate many contemporary interface design principles such as providing too many features to perform a similar function(s) (e.g., find, search, locate). However, highly influential frameworks emerged such as those by Shneiderman [2], Nielsen [3], and Wickens, Lee, Liu, and Becker [4] to better guide the design of HMIs and improve human-computer interaction (HCI) by placing user experience, needs and capabilities at the center of the design process. Example principles from Shneiderman's [2] Eight Golden Rule framework include:

- Strive for consistency (e.g., include consistent terminology for menus and prompts);
- Offer informative feedback (e.g., to verify the status of a request);
- Design dialogues to yield closure (e.g., provide feedback when task completed);
- Offer simple error handling (e.g., require the user to go through checking steps that do not simply involve clicking the same button multiple times);
- Reduce short-term memory load (e.g., avoid multiple menus and/or pages).

Nielsen [3] took into consideration factors such as the importance of the match between the system and the real world, establishing and adhering to conventions and standards, maintaining visibility of system status, and simplicity and aesthetic integrity. Together with other interface design principles and frameworks (e.g., [5, 6, 7]), Nielsen [3] and Shneiderman and Plaisant [8] continue to lead the way in terms of informing effective generic interface design principles for the majority of knowledgeable to expert frequent HMI users. Wickens et al. [4] developed principles with perhaps even more focus on human cognitive capabilities and limitations. These include:

- Perception (e.g., make displays legible and/or audible);
- Attention (e.g., minimize the cost of accessing important information);
- Memory (e.g., ensure key to-be-remembered information is easily accessible);
- Mental models (e.g., ensure pictorial realism between icons and what they represent);
- Situation awareness (e.g., features to predict/remind of key future and past events).

Many leading generic HMI design principles derived over the past three decades or so can be tentatively applied to the design of in-vehicle HMIs. Some can be directly applied to areas such as: automated system design; spoken input and dialog guidelines; guidelines for visual and auditory displays, and; traffic information guidelines (e.g., [9]). These and other principles will be discussed in more detail below. In terms of specific principles, work by Weir [10] noted that in-vehicle interfaces should be designed to meet requirements related to key factors such as usability, driver comfort, and acceptable levels of attentional demands in dual task conditions. It is also important to aim for optimal functionality and usability in terms of comfort (e.g., climate controls), entertainment (e.g., news links, music), telematics (e.g., network communications), and driver support (e.g., driving condition updates).

Work on HMI design for AVs has begun to increase, particularly during the latter half of the past two decades. Much early work focused on vehicles with one or few automated functions (e.g., Level 1-2). Research involving HMI designs for higher levels of vehicle autonomy (Levels 3-4) has emerged over the past 5-10-years (e.g., [11, 12]). To date, our review has uncovered very little on the design of HMIs for Level 5 fully autonomous vehicles, with a gap on those designed for older adult users.

Over a decade ago, Cuevas [13] suggested that the four most important factors to consider within the design of HMIs for vehicles with high levels of autonomy include:

- Ethnographic/anthromorphic qualities: e.g., attribute human qualities to system displays and functions;
- Cognitive factors: e.g., perception, attention, memory, and mental models;
- Predictive modelling: e.g., step-by-step modelling of interactions with new interfaces informed by established models and architectures;
- Empirical testing: i.e., test with target end-user groups.

More recent work picks-up on the HMI design issues of information overload (e.g., [14]) and situation awareness (e.g., [15]). Essentially, ‘...design needs to focus on communicating the information needs of drivers in order to give them the best chance of behaving appropriately for the situation’ ([9], p. 143) as well as communicating the system limits in a dynamic ongoing (not static) manner [16].

Examples of recent activity on HMI design for AVs has involved ‘automation displays’ for functions such as adaptive cruise control (ACC) (e.g., [9]). For example, Stanton, Dunoyer, and Leatherland [17] compared three methods of displaying ‘stop and go’ (S&G-ACC) information to drivers under different driving conditions. Methods involved: a static icon (vehicle ahead, distance lines/arrows), a flashing icon (like static but changed color when close to vehicle ahead), and a radar display (distance ahead, road position). Simple icon-based interfaces did not seem to support driver situation awareness, whereas the more complex radar display helped but increased workload.

Overall, there is much less research on generic HMI design principles for AVs and CAVs (especially Level 5) in comparison to the wealth of literature concerning general HMI design principles that *could* inform the development of in-vehicle CAV HMIs. Many general HMI principles should nevertheless help to inform the design of early generation HMIs for CAVs, including those designed for use by older adults.

3.2 Aging-Related Impairments that Should Be Considered in regards to the Usability and Accessibility of a CAV In-Vehicle HMI

Older age is often associated with cognitive, sensory, and mobility impairments (e.g., [18, 19]). CAV HMIs designed for use by older adults with different needs and abilities should match accessibility and usability requirements of this specific population [20, 21]. CAV HMI accessibility for older adults is related to the physical and ergonomic aspects of the in-vehicle environment whereas usability relates to aspects of the HMI including: learnability; efficiency; memorability; error handling; and satisfaction (linked with likelihood of continued use).

Cognitive aging can span multiple areas, but here we focus on attention and memory. Attention is prone to age-associated impairments such as maintaining focus on a stimuli

and/or dividing focus between stimuli. General design recommendations have been proposed to increase older adults' usability of a system whilst aiming to alleviate some of the implications of age related decline in attention (e.g., [22, 23]). These include: use of simple displays; differentiating important and relevant information; minimizing screen clutter; and limiting distractor stimuli. Working memory involves trying to retain and manipulate information over short time periods usually not greater than 20-30-seconds [24]. To support age-associated decline in working memory function, recommendations for HMI design have been proposed (e.g., [23, 25]) These include: avoidance of complex long instructions to minimize memory overload; use of graphical aids to support complex tasks; labelling items clearly; and, adopting familiar conceptual models and/or metaphors (e.g., red for 'stop'). Long-term memory (LTM) is also affected by aging (e.g., [21, 23, 26, 27]). LTM is often thought of as capable of holding memories more permanently than working memory for future activation and retrieval [28]. In considering LTM issues related to aging, design should include: using simple, minimal and intuitive steps to perform tasks; offering extra practice to learn procedures; and replacing time-based instructions (e.g., perform x in 60-seconds) with event based instructions involving context specific memory cues to reduce the demands on aspects such as prospective memory.

Visual and auditory sensory impairments are more likely to occur amongst older adults (e.g., [29, 30, 31]). There is a vast amount of previous work on HMI design recommendations taking into account sensory impairments with a key focus on vision (e.g., [23, 32, 33, 34, 35]). Example visual impairment related principles include: using large screens with large buttons (15-20-mm minimum); making information clearly visible using size, enhancing color and contrast features; spacing buttons (3.17-mm minimum); and avoiding dynamic text presentation formats. There has also been a lot of work on HMI design recommendations for auditory impairments (e.g., [21, 36, 37, 38, 39]). Example principles include: ensuring that sound signals are at least 60dB; enhancing discriminability of sounds with a frequency range of at least 500-1000Hz; avoiding synthetic speech; and ensuring that key information is communicated in an auditory as well as a visual format.

Physical usability requirements for older adults often arise due to age-related changes in motor control which can affect fine motor movement and coordination [20]. To improve HMI accessibility and usability amongst older adults, a range of recommendations have been made (e.g., [23, 40, 41, 42, 43, 44]). These include: using haptic displays with touchscreen and voice-command capabilities; avoid simple features that require multiple click actions; avoid pointing and dragging tasks; offering a wide range of different access points within the interface; limiting difficult or long successive actions; and, using light pens for touchscreen interactions. It is also important to provide grip balustrades for support and balance when using HMIs in dynamic situations such as being driven in a car.

Overall, there appears to be a vast range of HMI principles on accessibility and usability that might inform effective design of CAV HMIs for use amongst older adults. Some are quite intuitive yet evidence informed and others are based on tested minimal requirements to ensure that HMIs are accessible and usable.

3.3 Aging-Related Impairments Should Be Considered in regards to the Functionality and Adaptability of a CAV In-Vehicle HMI

Availability and usefulness of CAV HMI functions might increase the usability and acceptance of CAVs in general. Having the option to adapt some of these functions to better fit specific user requirements is also likely to be very important.

For AV HMIs, useful functions can increase trust and safety because they provide the user with valid and reliable driving information. Many functions that can maintain and enhance safe in-vehicle mobility have been tested and developed including: navigation aids (e.g., route guidance), visual aids (e.g., night vision enhancement), attentional and cognitive aids (e.g., distraction-management system), and crash avoidant aids (e.g., collision warnings). Common recommendations (see e.g., [28, 45, 46, 47]) include: vehicle speed and journey time information; step-by-step route guidance within navigational systems; and, minimizing complex interface features with multiple functions.

Other in-vehicle HMI functions that might provide a positive experience and keep users engaged with the system have also been recommended by a number of researchers (e.g., [49, 50, 51, 52, 53]). These include: night vision enhancement (NVE); forward collision warnings (FCW); health monitoring capabilities; and infotainment systems.

The usefulness and usability of any function is likely to be dependent on individual user needs and requirements and these may vary considerably amongst older adults; especially those who may have distinct cognitive and/or sensory and/or physical impairments. Also individual aging-related impairments can change, so the system should lend itself to being easily adapted to ensure continued usability.

Some in-vehicle HMIs are now becoming more adaptable (e.g., [54, 55, 56]). According to Lavie and Meyer [57], effective adaptation will involve intermediate levels of adaptation based on task type (e.g., routine vs non-routine), task difficulty, and user requirements (e.g., younger vs older adults). General adaptability recommendations have been proposed by many researchers (e.g., [57, 58, 59, 60, 61, 62, 63]). Examples include: provide text-to-speech/speech-to-text options; provide the option to zoom-in and out; and, use of persona-based user modelling. To support adaptability and personalization, the system needs to have information regarding the user's abilities and limitations which can be captured in a user model and/or through use of a reliable and valid set of tests and measures of factors (see [61, 64]). These include: cognitive (e.g., mental processing speed, attention, working memory), sensory (e.g., vision, hearing), and physical abilities.

Our preliminary review has also revealed that HMI adaptability amongst older adults does not always need to be based on cognitive, sensory and physical impairments. We should also consider driving habits, culture, and preferences. For example, and as posited by Heimgärtner [65], having the ability to control and change things like: preferred route type; preferred speed; default tours; and, preferred HMI interaction styles.

Overall, effective in-vehicle HMI functions for AVs and CAVs are likely to include important in-vehicle information such as vehicle speed and journey time as well as outer-vehicle information such as distance between own and other vehicles and traffic and news updates. Physiological monitoring (particularly for individuals with age related health conditions) is also likely to be important. Adaptability (and ease of adaptability) is also important; particularly for individuals with specific age-related cognitive and/or sensory and/or physical impairments. This likely means that a 'one-size-fits-all'

CAV HMI will not be as effective, especially amongst older users of AVs and CAVs. However, it is noted that there is little research on adaptive in-vehicle HMIs for use amongst older adults in highly and/or fully autonomous CAVs.

4 Conclusions and Future Directions

The current paper has focused on a synthesis of principles from an initial literature review conducted to inform the design of effective CAV HMIs for use by older adults above the age of 70-years. This emerging framework represents an important part of our current Innovate UK funded Flourish project that will involve experimental trials with older adults in simulated and road based CAVs in order to test and develop effective in-vehicle HMIs for use amongst this population. There are numerous useful generic HMI and in-vehicle HMI design principles that relate to four general areas: accessibility, usability, functionality, and, adaptability. The review has highlighted that experience and training in the resultant systems, as well as the ability to create bespoke individual user-focused solutions, are likely to play a key role in overcoming many of the possible barriers to adoption, use and continued use.

The review is also very important, because it has identified a major gap in the literature on AV and CAV HMI design principles that consider the needs and requirements of older adults who may be more likely to have cognitive and/or sensory and/or physical mobility impairments. There seems to be little research in this area and thus our short term aim is to further develop the current work into a comprehensive framework to inform effective design of HMIs for older adults using CAVs. This should be informed by requirements and expectations gathered from our target test population (i.e., potential users as part of a co-design process to maximize acceptance, engagement, and trust)

There is a crucial need for more concentrated research on the design and testing of in-vehicle HMIs for CAVs amongst older adults as well as other population sectors. There is a dearth of direct research in this area, and our Flourish project represents a major effort to inform this gap in knowledge and to offer effective design recommendations and solutions.

Acknowledgments. The reported research forms part of an Innovate UK research project - FLOURISH: Empowerment through Trusted Secure Mobility (2016-2019). See <http://flourishmobility.com/>. We thank Tracey Poole (Atkins UK) for reading an earlier draft of this paper.

References

1. SAE International.: U.S. Department of transportation's new policy on automated vehicles adopts SAE International's levels of automation for defining driving automation in on-road motor vehicles, <https://www.sae.org/news/3544> (2016)
2. Shneiderman, B.: Designing the user interface: Strategies for effective human-computer interaction. Addison-Wesley, New York (1987)
3. Nielsen, J.: Usability engineering. Elsevier (1994)
4. Wickens, C. D., Lee, J., Liu, Y., Becker, S. G.: An introduction to human factors engineering. Pearson, New Jersey (2004)

5. Gould, J. D., Lewis, C.: Designing for usability: Key principles and what designers think. *Communications of the ACM*. 28(3), 300--311 (1985)
6. Heckel, P.: *The elements of friendly software design*. Warner Books, CA, USA (1984).
7. Mayhew, D. J.: *Principles and guidelines in software user interface design*. Prentice-Hall, London (1991)
8. Shneiderman, B., Plaisant, C.: *Designing the user interface: Strategies for effective human-computer interaction*. (5th ed.). Addison-Wesley Publishers (2010)
9. Walker, G., Stanton, N., Salmon, P.: *Human factors in automotive engineering and design*. Human Factors in Transport Series, Ashgate Publishing Ltd, Farnham, UK (2015)
10. Weir, D. H.: Application of a driving simulator to the development of in-vehicle human-machine-interfaces. *IATSS Research*. 34(1), 16--21 (2010)
11. Häuslschmid, R., Bengler, K., Olaverri-Monreal, C.: Graphic toolkit for adaptive layouts in in-vehicle user interfaces. In: *Proceedings of the 5th International Conference on Automotive User Interfaces and Interactive Vehicular Applications*, pp. 292--298 (2013)
12. Lorenz, L., Kerschbaum, P., Schumann, J.: Designing take over scenarios for automated driving: How does augmented reality support the driver to get back into the loop? In: *Proceedings of the Human Factors and Ergonomics Society Annual Meeting*, pp. 1681--1685. Sage Publications, Los Angeles (2014)
13. Cuevas, H. M.: An illustrative example of four HCI design approaches for evaluating an automated system interface. In: *Proceedings of the Human Factors and Ergonomics Society Annual Meeting*, pp. 892--896. Sage Publications (2004)
14. Jämsä, J., Kaartinen, H.: Adaptive user interface for assisting the drivers' decision making. In: *6th IEEE International Conference on Cognitive Info communications (CogInfoCom)*, pp. 17--18 (2015)
15. Baxter, G., Besnard, D., Riley, D.: Cognitive mismatches in the cockpit: Will they ever be a thing of the past? *Applied Ergonomics*. 38(4), 417--423 (2007)
16. Seppelt, B. D., Lee, J. D.: Making adaptive cruise control (ACC) limits visible. *International Journal of Human-Computer Studies*. 65(3), 192--205 (2007)
17. Stanton, N. A., Dunoyer, A., Leatherland, A.: Detection of new in-path targets by drivers using stop & go adaptive cruise control. *Applied Ergonomics*. 42(4), 592--601 (2011)
18. Deary, I. J., Corley, J., Gow, A. J., Harris, S. E., Houlihan, L. M., Marioni, R. E., Penke, L., Rafnsson, S. B., Starr, J. M.: Age-associated cognitive decline. *British medical bulletin*. 92(1), 135--152 (2009)
19. Freedman, V. A., Martin, L. G., Schoeni, R. F.: Recent trends in disability and functioning among older adults in the united states: A systematic review. *JAMA*. 288(24), 3137--3146 (2002)
20. Charness, N., Boot, W. R.: Aging and information technology use potential and barriers. *Current Directions in Psychological Science*. 18(5), 253--258 (2009).
21. Fisk, A. D., Rogers, W. A., Charness, N., Czaja, S. J., Sharit, J.: *Designing for older adults: Principles and creative human factors approaches*. CRC Press (2009)
22. Czaja, S. J., Lee, C. C.: *Information technology and older adults*. CRC Press (2009)
23. Farage, M. A., Miller, K. W., Ajayi, F., Hutchins, D.: Design principles to accommodate older adults. *Global Journal of Health Science*. 4(2), 2 (2012)
24. Baddeley, A.: Working memory: theories, models, and controversies. *Annual review of psychology*. 63, 1--29 (2012)
25. Mulvenna, M., Carswell, W., McCullagh, P., Augusto, J.C., Zheng, H., Jeffers, P., Wang, H., Martin, S.: Visualization of data for ambient assisted living services. *IEEE Communications Magazine*. 49(1) (2011)

26. Glisky, E. L.: Changes in cognitive function in human aging. *Brain Aging: Models, Methods, and Mechanisms*. In: Riddle, D. R. (ed) *Brain Aging: Models, Methods, and Mechanisms*, pp. 3--20. CRC Press, Boca Raton (2007)
27. Spencer, W. D., Raz, N.: Differential effects of aging on memory for content and context: A meta-analysis. *Psychology and Aging*. 10(4), 527 (1995)
28. Baddeley, A., Eysenck, M. W., Anderson, M. C.: *Memory* (2nd edition). Psychology Press, Sussex (2015)
29. Dickinson, A., Arnott, J., Prior, S.: Methods for human-computer interaction research with older people. *Behaviour & Information Technology*. 26(4), 343--352 (2007).
30. Lee, H. K., Scudds, R. J.: Comparison of balance in older people with and without visual impairment. *Age and Ageing*. 32(6), 643--649 (2003)
31. West, S.K., Munoz, B., Rubin, G.S., Schein, O.D., Bandeen-Roche, K., Zeger, S., German, S., Fried, L.P.: Function and visual impairment in a population-based study of older adults. The SEE project. *Investigative ophthalmology & visual science*. 38(1), 72--82 (1997)
32. Echt, K. V., Morrell, R.: Designing web-based health information for older adults: Visual considerations and design directives. *Older Adults, Health Information, and the World Wide Web*. 61--87 (2002)
33. Morrell, R. W., Echt, K. V.: Designing written instructions for older adults: Learning to use computers. *Handbook of Human Factors and the Older Adult*, 335--361 (1997)
34. Rubin, G. S., Roche, K. B., Prasada-Rao, P., Fried, L. P.: Visual impairment and disability in older adults. *Optometry & Vision Science*. 71(12), 750--760 (1994)
35. Watson, D. G., Maylor, E. A.: Aging and visual marking: Selective deficits for moving stimuli. *Psychology and Aging*. 17(2), 321 (2002)
36. Gordon-Salant, S.: Hearing loss and aging: New research findings and clinical implications. *Journal of Rehabilitation Research and Development*. 42(4), 9 (2005).
37. Pak, R., McLaughlin, A.: *Designing displays for older adults*. CRC Press (2010)
38. Strawbridge, W. J., Wallhagen, M. I., Shema, S. J., Kaplan, G. A.: Negative consequences of hearing impairment in old age a longitudinal analysis. *The Gerontologist*. 40(3), 320--326 (2000)
39. Zajicek, M., Morrissey, W.: Speech output for older visually impaired adults. In: *People and computers XV—Interaction without frontiers*, pp. 503--513. Springer, London (2001)
40. Aslan, U. B., Cavlak, U., Yagci, N., Akdag, B.: Balance performance, aging and falling: A comparative study based on a Turkish sample. *Archives of Gerontology and Geriatrics*. 46(3), 283--292 (2008)
41. Darejeh, A., Singh, D.: A review on user interface design principles to increase software usability for users with less computer literacy. *Journal of Computer Science*. 9(11), 1443 (2013)
42. Dieudonné, V., Mahieu, P., Machgeels, C.: INPH, a navigation interface for motor-disabled persons. In: *Proceedings of the 15th Conference on l'Interaction Homme-Machine*, pp. 202--205 (2003)
43. Page, T.: Touchscreen mobile devices and older adults: a usability study. *International Journal of Human Factors and Ergonomics*. 3(1), 65--85 (2014)
44. Fink, J., Kobsa, A., Nill, A.: Adaptable and adaptive information provision for all users, including disabled and elderly people. *New Review of Hypermedia and Multimedia*. 4(1), 163--188 (1998)
45. Eisses, S.: *ITS Action Plan. RappTrans. European commission D4 Final Report* (2011).
46. Emmerson, C., Guo, W., Blythe, P., Namdeo, A., Edwards, S.: Fork in the road: In-vehicle navigation systems and older drivers. *Transportation Research Part F: Traffic Psychology and Behaviour*. 21, 173--180 (2013)

47. May, A., Ross, T., Osman, Z.: The design of next generation in-vehicle navigation systems for the older driver. *Interacting with Computers*. 17(6), 643--659 (2005)
48. Pauzie, A.: Development of Ergonomic Mock-Ups for Usability Testing of In-Vehicle Communicating Systems. *Human-Computer Interaction: Theory and Practice*. 2, 228 (2003)
49. Arnaout, G. M., Bowling, S.: A progressive deployment strategy for cooperative adaptive cruise control to improve traffic dynamics. *International Journal of Automation and Computing*. 11(1), 10--18 (2014)
50. Bekiaris, E., Panou, M., Touliou, K.: HMI for elderly and disabled drivers to get safely real-time warnings and information while driving. In: *The 13th World Conference on Transport Research* (2013)
51. Iulian, D. A., Leonte, M. G.: Driver Warning Assistant for Monitoring Heart Rate and SpO2 using Mobile Phones. *Applied Mechanics & Materials*. 656 (2014)
52. McMellon, C. A., Schiffman, L. G.: Cybersenior empowerment: How some older individuals are taking control of their lives. *Journal of Applied Gerontology*. 21(2), 157--175 (2002)
53. Reimer, B.: Driver assistance systems and the transition to automated vehicles: A path to increase older adult safety and mobility? *Public Policy & Aging Report*. 24(1), 27--31 (2014)
54. Alvarez-Cortes, V., Zayas-Perez, B. E., Zarate-Silva, V. H., Uresti, J. A. R.: Current trends in adaptive user interfaces: Challenges and applications. In: *Electronics, Robotics and Automotive Mechanics Conference (CERMA)*, pp. 312--317 (2007)
55. Gonzalez-Rodriguez, M., Manrubia, J., Vidau, A., Gonzalez-Gallego, M.: Improving accessibility with user-tailored interfaces. *Applied Intelligence*. 30(1), 65--71 (2009)
56. Kurschl, W., Augstein, M., Burger, T., Pointner, C.: User modeling for people with special needs. *International Journal of Pervasive Computing and Communications*. 10(3), 313--336 (2014)
57. Lavie, T., Meyer, J.: Benefits and costs of adaptive user interfaces. *International Journal of Human-Computer Studies*. 68(8), 508--524 (2010)
58. Chung, M. K., Lee, D., Jeong, C.: The effects of zoomable user interfaces and user age in searching for a target with a mouse on a two-dimensional information space. *International Journal of Industrial Ergonomics*. 41(2), 191--199 (2011)
59. Ferreira, F., Almeida, N., Rosa, A. F., Oliveira, A., Casimiro, J., Silva, S., Teixeira, A.: Elderly centered design for interaction--the case of the S4S medication assistant. *Procedia Computer Science*. 27, 398--408 (2014)
60. Hanson, V. L.: The user experience: designs and adaptations. In: *Proceedings of the 2004 international cross-disciplinary workshop on Web accessibility (W4A)*, pp. 1--11. ACM 7 (2004)
61. Mejía, A., Juárez-Ramírez, R., Inzunza, S., Valenzuela, R.: Implementing adaptive interfaces: A user model for the development of usability in interactive systems. In: *Proceedings of the CUBE International Information Technology Conference*, pp. 598--604 (2012)
62. Rice, M., & Alm, N.: Designing new interfaces for digital interactive television usable by older adults. *Computers in Entertainment (CIE)*. 6(1), 6 (2008)
63. Verwey, W. B.: On-line driver workload estimation: Effects of road situation and age on secondary task measures. *Ergonomics*. 43(2), 187--209 (2000)
64. Browne, D., Norman, M., Riches, D.: Why build adaptive systems? In: Brown, D., Totterdell, P., Norman, M (Eds), *Adaptive user interfaces*. pp. 15--58. Elsevier, London (2016)
65. Heimgärtner, R.: Cultural differences in human computer interaction: Results from two online surveys. In: *Isi*, pp. 145--157 (2007)