

Citation for published version:

Wang, S, Eccleston, C & Keogh, E 2021, 'The time course of facial expression recognition using spatial frequency information: comparing pain and core emotions', *Journal of Pain*, vol. 22, no. 2, pp. 196-208. <https://doi.org/10.1016/j.jpain.2020.07.004>

DOI:

[10.1016/j.jpain.2020.07.004](https://doi.org/10.1016/j.jpain.2020.07.004)

Publication date:

2021

Document Version

Peer reviewed version

[Link to publication](#)

Publisher Rights

CC BY-NC-ND

University of Bath

Alternative formats

If you require this document in an alternative format, please contact:
openaccess@bath.ac.uk

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Running title: Recognition of facial pain expressions

1 **The Time Course of Facial Expression Recognition Using Spatial**

2 **Frequency Information: Comparing Pain and Core Emotions**

3 Shan Wang^{1, 2, 3 *}, Christopher Eccleston^{1, 4}, Edmund Keogh^{1, 2}

4 *1 Centre for Pain Research, University of Bath, UK*

5 *2 Department of Psychology, University of Bath, Bath, UK*

6 *3 Duke Kunshan University, Kunshan, Jiangsu Province, China*

7 *4 Department of Experimental-Clinical and Health Psychology, Ghent University,*

8 *Belgium*

9

10 * Correspondence concerning this article should be addressed to Shan Wang, Duke

11 Kunshan University, No. 8 Duke Avenue, Kunshan, Jiangsu Province, China, Tel: +86

12 (0)512 36657127; E-mail: shan.wang579@dukekunshan.edu.cn

13

14 Disclosures:

15 This research was funded by a Graduate School PhD Scholarship provided by the

16 University of Bath to the first author. There are no conflicts of interest that may arise as

17 a result of this research.

18

1 Abstract

2 We are able to recognise others' experience of pain from their facial expressions.
3 However, little is known about what makes the recognition of pain possible and whether
4 it is similar or different from core emotions. This study investigated the mechanisms
5 underpinning the recognition of pain expressions, in terms of spatial frequency (SF)
6 information analysis, and compared pain with two core emotions (i.e. fear and
7 happiness). Two experiments using a backward masking paradigm were conducted to
8 examine the time course of low- and high-SF information processing, by manipulating
9 the presentation duration of face stimuli and target-mask onset asynchrony. Overall, we
10 found a temporal advantage of low-SF over high-SF information for expression
11 recognition, including pain. This asynchrony between low- and high-SF happened at a
12 very early stage of information extraction, which indicates that the decoding of low-SF
13 expression information is not only faster but possibly occurs before the processing of
14 high-SF information. Interestingly, the recognition of pain was also found to be slower
15 and more difficult than core emotions. It is suggested that more complex decoding
16 process may be involved in the successful recognition of pain from facial expressions,
17 possibly due to the multidimensional nature of pain experiences.

18 Perspective: Two studies explore the perceptual and temporal properties of the
19 decoding of pain facial expressions. At very early stages of attention, the
20 recognition of pain was found to be more difficult than fear and happiness. It
21 suggests that pain is a complex expression, and requires additional time to detect
22 and process.

23 Keywords: pain; facial expression; recognition; spatial frequency; time course

1 **Introduction**

2 Accurately detecting and interpreting nonverbal expressions of pain is important
3 for caregiving. Although not conceptualised as an emotion, pain can also be
4 communicated through facial expressions^{19,32,38}. The main method used to explore this
5 takes a component approach, measuring movements of facial muscles during pain¹².
6 However, this may be different to how we process facial expressions in naturalistic
7 environments, where challenging visual conditions mean that specific details are
8 difficult to see, e.g., brief exposure, limited visibility^{10,34,43,44}. Alternatively, a holistic
9 analysis of available information may be required^{5,25,33}.

10 One approach to global processing is to consider faces as visual stimulus that
11 contains different types of perceptual information. Spatial frequency (SF) is one of the
12 most basic visual perceptual features that encodes the level of detailed information in a
13 visual representation *and* determines the appearance of a visual display⁴⁰. Low-SF
14 encodes the large-scale facial configuration and coarse structures, whereas high-SF
15 encodes the fine-detailed facial features and abrupt changes. In a clear and intact visual
16 representation, the full spectrum of SF information is available (i.e. broad-SF). Of
17 relevance, is that SF information is relevant for the perception of affective material,
18 including facial expressions⁸, where a processing advantage for low-SF over high-SF is
19 found, i.e., greater accuracy or speed. Whilst not often explored, emerging evidence
20 suggests a similar low-SF advantage occurs for pain expression recognition^{34,43,44}. This
21 is important as it cannot be automatically assumed that the decoding of pain and
22 emotion expressions occurs in a similar way.

23 Differences in the processing of low- and high-SF information are also thought
24 to reflect separate neural pathways, with faster routes for processing low-SF
25 information⁴². The holistic decoding of different types of pain expression information

1 may, therefore, also occur through these different routes. If so, then we might expect
2 that temporal changes in the visual percept impacts on facial expression decoding¹⁸.
3 However, temporal dynamics of SF information processing for pain expressions have
4 not been explored. Neuroimaging and electrophysiological approaches do, however,
5 show more pronounced brain activity for negative emotions (e.g. fear), compared to
6 positive or neutral expressions, during early processing of low-SF stimuli^{26,41,42,45}.
7 However, the tasks (e.g. discrimination of sex) used in these studies only provide
8 indirect support, as they do not necessarily require explicit attention to the emotional
9 content of facial expressions. Since responses to facial expressions vary according to
10 purpose³⁷ and instructions¹¹, it is not possible to assume that low-SF information plays
11 an early role in the perception of pain. Alternative, more direct, approaches are required.
12 The aim of this study was to investigate the temporal dynamics of SF information
13 processing for the recognition of pain facial expressions.

14 Two experiments are reported. Both used a backward masking paradigm and
15 directly manipulated the presentation duration of face stimuli. Predictions were
16 informed by the coarse-to-fine processing theory^{1,18}, which accounts for the role that
17 temporal dynamics have on object recognition in context (e.g. scenes). It suggests that
18 the processing of global scenes represented by low-SF information is faster than object
19 identities represented by fine-detailed information. Therefore, an advantage of low-SF
20 information over high-SF was hypothesised at early stages of processing. As well as
21 pain, fear and happiness expressions were also included. We predicted that pain would
22 be more difficult to recognise based on (a) previous findings that the recognition of pain
23 is slower and less accurate than core emotions^{20,34,38,44}, (b) pain expressions encoding
24 both sensory and affective qualities of painful experiences, and so being arguably more

1 complex ²², and (c) pain expressions being less frequently encountered in daily life than
2 core emotions, and so less familiar ⁶.

3 **Experiment 1**

4 Experiment 1 consisted of two tasks: a backward masking task and a simple
5 recognition task without masking. The backward masking paradigm interrupts the
6 processing of a target facial expression with a mask at various time points, allowing one
7 to examine the corresponding visual percept of the expression using different types of
8 SF information. Different time points of processing could be accessed by manipulating
9 the target and mask stimuli onset asynchrony (SOA). In this task, the target face images
10 were masked immediately after the presentation; therefore, the target-mask SOA was
11 equal to the target face presentation duration. We hypothesised that the low-SF
12 information would show an advantage over high-SF in the recognition of facial
13 expressions when the SOA was brief. The simple recognition task was used to examine
14 the role of SF information without any time constraints. According to the coarse-to-fine
15 processing hypothesis, we expected that with sufficient presentation duration and
16 processing, high-SF information would exhibit an advantage over low-SF. The
17 recognition of pain was also expected to be more difficult/less accurate compared to
18 core emotions.

19 ***Method***

20 *Participants*

21 Forty-three healthy adult participants (22 females and 21 males) were recruited
22 from the University of Bath (mean age=24.92, *SD*=6.70) by advertising through posters,

1 flyers and noticeboard advertisements on campus. G-Power¹⁵ calculated that 26
2 participants were needed given the study design and the expectation of a large effect
3 size, which was found in previous studies of a similar type^{43,44} (power level = 0.95).
4 The majority of the participants were from the student and staff population of the
5 university. However, we did not collect data about participants' social-economic status.
6 The recruitment method and exclusion criteria were the same for both experiments. All
7 participants had normal or corrected to normal vision and reported being pain-free and
8 free from any psychiatric or neurological conditions. Ethics committee approval was
9 granted by the Department of Psychology Ethics Committee (Ref. 13-161) and
10 Department of Health Ethics Committee (Ref. EP 13/14 33a) of the University of Bath
11 for both experiments. Informed consent was obtained from all participants prior to
12 taking part in the experiments. All the participants were financially compensated for
13 their time (£5 for 30 minutes).

14 *Design*

15 Both tasks used a within-groups design¹. For the backward masking task, the
16 independent variables were the SOA of the target expression (i.e. 17, 33, 67, 150 and
17 300 ms), the type of SF information (i.e. broad-SF, low-SF and high-SF) and expression
18 (i.e. pain, fear, happiness and neutral). For the simple recognition task, the variables
19 were the type of SF information and expression. Participants' recognition accuracy was

¹ The current study was a discrete part of a larger PhD thesis by the first author, in which participants' sex was also considered as a between-subjects factor. However, in terms of sex-related effects, none of the main effects or interactions were significant in either Experiment 1 (all $F_s < 2.13$, $p_s > .13$) or Experiment 2 (all $F_s < 2.45$, $p_s > .09$). Detailed analyses are not reported here, but are available from the corresponding author.

1 the dependent variable for both tasks.

2 *Stimuli and apparatus*

3 We used the static stimulus set (images) from the STOIC database³⁵. The basic
4 stimuli were 40 images and are comprised of 10 actors (five females and five males),
5 each displaying the following four expressions: pain, fear, happiness and neutral. These
6 images were the same as those used in our previous studies^{43,44}. Fear and happiness
7 were included as comparison expressions with pain, as we previously found to be the
8 most similar to, and different from, pain in terms of valence and arousal⁴⁴. Neutral
9 expressions were also included as a low-expressive baseline.

10 The image SF manipulation procedure was the same as described in our
11 previous research⁴⁴. All images were filtered by low- and high-pass Gaussian filters
12 with cut-off values of 8 and 32 cycle per frame, respectively. The manipulation was
13 completed using MATLAB 2012b. Please see **Figure 1** for sample stimuli of pain facial
14 expressions at each SF level. All the original broad-SF images were included as controls
15 to compare with low- and high-SF stimuli. As a result, a total of 120 face images were
16 used as stimuli in this experiment (10 actors \times 4 expressions \times 3 SF-levels). A
17 validation based on the observers' categorisation of expression types and their
18 subjective ratings of the valence and arousal levels were conducted and reported
19 previously⁴⁴.

20 ----- Figure 1 -----

21 The experiment was designed and controlled using E-Prime Professional 2.0.
22 Stimuli were 256 \times 256 pixels and displayed in their original size of 7.62 \times 7.62 cm on a
23 19" LCD screen with a resolution of 1280 \times 1024 pixels and refresh rate of 60 HZ (i.e.
24 refresh duration of 16.67 ms). Participants' viewing distance was about 60 cm in a

1 visual angle of 7.26° for each face image. The same images and apparatus were used
2 throughout.

3 All participants were given the backward masking task first, and then the simple
4 categorisation task, to avoid any potential priming effect.

5 *Backward masking task*

6 The target stimuli were 96 face images of 8 actors (4 females and 4 males)
7 displaying pain, fear, happiness and neutral at 3 SF-levels. The masks were 6 neutral
8 faces displayed by the other 2 actors (1 female and 1 male) at the 3 SF-levels. The
9 neutral faces were used as masks because they have previously been found to be
10 effective in masking faces and facial expressions^{9,27}. The presentation durations of a
11 target face stimulus in this task were 17, 33, 67, 150 and 300 ms.

12 For each trial (see **Figure 2**), participants were shown a fixation cross at the
13 centre of the screen for 500 ms followed by a blank screen for 50 ms prior to the target
14 face onset, in order to reduce any priming effect of the fixation cross. A target face was
15 presented for a given time length and was immediately replaced by a neutral face mask.
16 Thus, in this task, the target-mask SOA was identical to the presentation duration of the
17 target face. The duration of the mask was fixed at 300 ms, which is sufficient to
18 effectively mask the target^{14,23}. In each trial, the gender of the actor and the SF
19 condition of the mask matched with the target face, but the identities were always
20 different.

21 ----- Figure 2 -----

22 Participants were asked to determine whether the target face was expressing
23 fear, happiness, pain or neutral, by pressing the corresponding key labelled on a
24 keyboard (D = fear, F = happiness, J = pain, K = neutral). Participants were instructed

Running title: Recognition of facial pain expressions

1 to rest the fingers on the keys and respond as quickly and as accurately as possible. The
2 allocation of the keys was not counterbalanced across participants. A response could be
3 made within 2000 ms since the onset of the target stimulus. After this, with or without a
4 response, the trial terminated and moved onto the next one. There was an interval of
5 1000 ms between each trial. Participants were instructed that there would always be two
6 faces in each trial (presented consecutively), and the target face was always the first,
7 which could sometimes be presented extremely quickly. They were asked to respond to
8 the expression of the first face they saw. In this task, each participant completed 960
9 trials (i.e. 96 target stimuli, 5 SOAs, and each repeated twice) with a break after every
10 192 trials. There was a practice of 20 trials preceding the main task. The target face
11 stimuli in practice were randomly selected for each participant.

12 *Simple recognition task*

13 In each trial, participants viewed one face image at the centre of the screen and
14 were asked to determine the expression by pressing the corresponding key. The face
15 image was maintained on the screen until a valid response was given, and there was no
16 time constraint for making a response. Participants were instructed to “take their time
17 and respond as accurately as possible”. Each participant completed 120 trials with each
18 stimulus image appearing once. No feedback was given in both tasks.

19 *Data preparation and analysis*

20 Data from the backward masking task and the simple recognition task were
21 analysed separately. Participants’ recognition accuracy was measured using signal
22 detection estimates of sensitivity (d') to reduce the effect of possible response bias^{17,24}.
23 For the backward masking task, data were entered into a 5×3×4 (SOA [17, 33, 67, 150,

Running title: Recognition of facial pain expressions

1 300 ms] × SF Information [broad-SF, low-SF, high-SF] × Expression [fear, happiness,
2 neutral, pain]) ANOVA. The simple recognition task data were entered into a 3×4 (SF
3 Information × Expression) ANOVA. Simple effect analyses were applied when
4 significant interactions were found. *Post hoc* analyses with Bonferroni-type correction
5 were conducted when necessary, and the corrected cut-off point for each analysis was
6 calculated following 0.05/the number of comparison rule (e.g., when there are 3
7 comparisons, the corrected cut-off point is $0.05/3 = 0.0167$). The exact *p* values after
8 correction and the effect sizes are reported. The data was analysed using SPSS 22.

9 Data were first screened for invalid responses made within 200 ms since
10 stimulus onset, and no responses were made after 2000 ms since stimulus onset due to
11 the setting of response window. One participant (female) was excluded from further
12 analysis due to making too few valid responses (less than 50%) in multiple conditions.
13 Final data for this analysis were from a sample of 42 participants. For completeness,
14 after removal of invalid trials (2.39% of all trials), the simple hit rates were calculated
15 and are reported in supplementary materials. The *d'* was calculated for each participant.
16 The data were normally distributed with z-scores of skewness and kurtosis between -
17 1.96 and 1.96.

18 The large number of trials (960) could have resulted in fatigue or boredom. To
19 check for a decline in performance, average RT for the first and second half of trials
20 was calculated for each participant, and a split-half reliability analysis conducted. The
21 Spearman-Brown correlation was .90, indicating good internal consistency across the
22 testing phases. We also compared the average RT for the first half and the second half
23 of the trials. No significant difference was found ($t(41) = 1.62, p = .11$, Cohen's *d* =
24 .24).

1 **Results**

2 *Backward masking task*

3 *Means and SDs of d' in each condition are presented in **Table 1**.*

4 ----- Table 1 -----

5 Significant main effects were found for SOA ($F(2.76,113.07)=559.15, p<.001,$
6 $\eta^2_p=.93$) and SF information ($F(2,82)=86.36, p<.001, \eta^2_p=.68$), but not expression type
7 ($F(2.41,98.97)=2.81, p=.055$). However, these should be interpreted in light of
8 significant interactions.

9 The interaction between SOA and SF information was significant (**Figure 3**),
10 $F(5.95,243.97)=6.13, p<.001, \eta^2_p=.13$. We examined the effect of SOA on each SF, and
11 the SF difference at each level of SOA, separately. The effect of SOA was significant
12 for each SF (all $F_s>240.35, p_s<.001, \eta^2_{p_s}>.96$), where the d' increased as SOA
13 increased, continuously from 17 to 300 ms (all $p_s<.017$). A significant SF difference
14 was also found at each level of SOA ($F_s>11.63, p_s<.001, \eta^2_{p_s}>.36$), except for 17 ms
15 ($F(2,40)=2.80, p=.073$). A similar pattern was revealed for SOAs of 33, 67, 150 and 300
16 ms, in that the d' for broad-SF and low-SF was higher than that for high-SF (all
17 $p_s<.001$), but no difference between broad- and low-SF (all $p_s>.702$).

18 ----- Figure 3 -----

19 The interaction between SF information and expression type was also significant
20 (**Figure 4**), $F(6,246)=4.27, p<.001, \eta^2_p=.10$. The effect of SF information was
21 significant for all expression types (all $F_s>19.23, p_s<.001, \eta^2_{p_s}>.49$), with a similar
22 pattern found. The broad-SF and low-SF expressions were better recognised than the
23 high-SF (all $p_s<.001$), but no significant difference was found between broad- and low-
24 SF (all $p_s>.243$). The effect of expression type was, however, significant for broad- and

1 low-SF (both $F_s > 5.01$, $p_s < .005$, $\eta^2_{ps} > .27$), where higher d' was found for happiness
2 than pain (both $p_s < .010$), but not other expressions. The effect of expression type was
3 not significant for high-SF, $F(3,39) = 1.97$, $p = .134$. None of the other interactions were
4 significant, both $F_s < 1.78$, $p_s > .074$.

5 These results support our hypothesis that the presentation duration affected the
6 processing of SF information, and there was an advantage of low-SF information over
7 high-SF at early stages of processing. However, this effect was not pain-specific.

8 ----- Figure 4 -----

9 *Simple recognition task*

10 The simple hit rates and d' were calculated and are reported in **Table 1**. No
11 outlier was found. Data from all the participants were included.

12 A significant main effect of SF information was found, $F(2,84) = 4.14$, $p = .019$,
13 $\eta^2_p = .09$. Higher d' was found for broad-SF expressions than that for high-SF ($p = .041$),
14 but the difference between low- and high-SF, and the difference between broad- and
15 low-SF, was not significant (both $p_s > .090$). None of the other main effect or
16 interactions were significant, all $F_s < 1.87$, $p_s > .156$.

17 The results for this task did not support our hypothesis – with sufficient
18 presentation duration and processing, high-SF information did not exhibit an advantage
19 over low-SF.

20 *Discussion*

21 In Experiment 1, the backward masking task, enabling very brief SOAs, found
22 an advantage of low-SF over high-SF information, which supports our hypothesis that
23 the high-SF filtered expressions required more time to be reliably recognised than those
24 presented by low-SF or broad-SF information. This pattern was found for both pain and

1 core emotions. Expression differences were also found, however, in that facial
2 expressions of pain were recognised less accurately than happiness when using low-SF
3 information. This suggests a less pronounced low-SF advantage for pain than happiness
4 when presented briefly. However, the simple recognition task showed that, without any
5 time constraints, low- and high-SF information was equally informative for expression
6 recognition, and pain was recognised as accurately as core expressions. Differences
7 among other expressions (e.g. fear and neutral) were not observed.

8 Together, these findings suggest that the low-SF advantage could stem from the
9 temporal aspect. However, it is unclear whether the low-SF information is processed
10 *faster* or *earlier* than high-SF information, as Experiment 1 was not directly designed to
11 explore this. Thus, a second experiment was conducted, where we sought to consider
12 the temporal dynamics of SF information using a potentially more nuanced approach to
13 carefully unpick the early processing stages – information extraction and decoding – in
14 the recognition of facial expression. Experiment 2 examined the stage at which low-SF
15 information precedes high-SF, and the point at which low-SF information loses its
16 advantage. Moreover, since Experiment 1 found pain expressions might be more
17 difficult to recognise than core emotions, Experiment 2 also explored further whether
18 pain is indeed more difficult to recognise.

19 **Experiment 2**

20 Early visual processing involves extracting information from a stimulus and
21 decoding of specific visual input ^{13,34,39}. Based on Experiment 1, pain-related
22 information might be more difficult to extract from facial expressions or more difficult
23 to decode than core emotions, such as happiness. We adopted an analytical approach to
24 unpacking the early perception and considered these processes separately. Two

1 modified backward masking tasks were employed, aimed to consider the extraction and
2 the decoding process of pain-related information and compare with core emotions.

3 To achieve this, target presentation durations and the target-mask SOAs were
4 manipulated. In this experiment, the target-mask SOAs were no longer identical to the
5 target presentation durations. Instead, they consist of two parts: the presentation
6 duration of a target face and a gap between the target offset and the mask onset (see
7 **Figure 4**). In this way, the presentation duration of targets allows observers to view the
8 image and extract available information, and the SOA between the target and the mask
9 determines the uninterrupted latencies required by decoding (i.e. perceptual analysis) of
10 the visual input ^{4,29}. The multiple SOAs within each task allowed the disruption of the
11 decoding of the target expression at various time points and examined the
12 corresponding visual percept while keeping the target stimulus presentation duration
13 unchanged. By comparing the two tasks, it is possible to directly examine the temporal
14 dynamics of the processing of SF information at an early stage. This could also help to
15 reveal the possible mechanisms underlying why the recognition of pain was more
16 difficult than core emotions, i.e., is pain-related information more difficult to extract or
17 decode? We hypothesised that low-SF information would require less time to extract
18 and decode than high-SF in the recognition of facial expressions of pain and core
19 emotions. In addition, we expected to observe that the recognition of pain would be less
20 accurate than core emotions during early processing.

21 *Method*

22 *Participants*

23 An additional forty healthy adult participants (24 females and 16 males) were

1 recruited (mean age=27.79, SD=5.55) from the University of Bath. The recruitment
2 methods and exclusion criteria were the same as for Experiment 1. Ethics committee
3 approval was granted, and informed consent was obtained from each participant. All the
4 participants were financially compensated for their time.

5 *Design*

6 Two modified backward masking tasks (i.e. Task A and Task B) were
7 conducted, both of which used a within-groups design. In both tasks, the independent
8 variables were the target-mask SOA (which varied depending on the task, see below for
9 details), the type of SF information (i.e. broad-, low- and high-SF), and expression (i.e.
10 pain, fear, happiness and neutral). The dependent variable was the recognition accuracy.

11 *Tasks*

12 Tasks A and B employed the same backward masking paradigm but used
13 different parameters of the target presentation duration and target-mask SOA. To ensure
14 that the target presentation duration corresponds to information extraction and allows
15 minimal decoding, extremely brief presentation durations were used^{18,29,36}. The target
16 face presentation duration was 17 ms in Task A and 33 ms in Task B. In both tasks, the
17 target-mask SOAs were 33, 67, 150, 300 and 1000 ms. In this way, a gap of varied time
18 lengths occurred between target and mask faces in the two tasks (Task A: 17, 50, 133,
19 283 and 983 ms; Task B: 0, 33, 117, 267 and 967 ms). Both tasks required participants
20 to recognise the target face expression. We used 1000 ms as the largest SOA in both
21 tasks because results from Experiment 1 suggest that adequate processing of SF
22 information requires more than 300 ms, and previous studies indicate that some neural
23 responses to emotional faces can take up to 1000 ms or more from stimulus onset³.

1 Both tasks (A and B) followed a similar procedure to that used in Experiment 1
2 (see **Figure 5**), including the same stimuli for the target and the mask. In both tasks,
3 each participant completed 960 trials (i.e. 96 target stimuli, 5 different SOAs, each
4 repeated twice) with a break after every 192 trials. The stimuli were presented in a
5 random order in both tasks. The order of the tasks was counterbalanced between
6 participants. Since each task took 40-50 minutes to complete, participants completed the
7 tasks on two separate occasions (same time on two consecutive days). Practice sessions
8 were completed prior to each task (i.e., both testing days), and consisted of 10 trials.
9 The target face stimuli in practice were randomly selected from the stimulus set for each
10 participant.

11 ----- Figure 5 -----

12 *Data preparation and analysis*

13 The estimated sensitivity (d') was calculated for both tasks, and served as the
14 dependent variable. Data from Task A and B were analysed together. The data of d'
15 were entered into a $2 \times 5 \times 3 \times 4$ (Target Presentation Duration [17, 33 ms] \times SOA [33,
16 67, 150, 300, 1000 ms] \times SF Information [broad-, low-, high-SF] \times Expression [fear,
17 happiness, neutral, pain]) ANOVA.

18 Two participants (one female and one male) did not complete both tasks in this
19 experiment, and so were excluded. Final data for this analysis were from a sample of 38
20 participants. Data were first screened for invalid responses made within 200 ms since
21 the stimulus onset. For completeness, after removal of invalid trials (2.68% of all trials),
22 the simple hit rates were calculated and are reported in the Supplement. The data were
23 normally distributed with z-scores of skewness and kurtosis between -1.96 and 1.96. A
24 large number of trials were also included in both Task A and Task B. We, therefore,

1 calculated average RT for the first and second half of trials. The Spearman-Brown
2 correlation was .92 and .89 for Task A and Task B, respectively, indicating good
3 internal consistency across the testing phases. No significant difference was found
4 between the average RT for the first and second half of trials for both tasks (Task A:
5 $t(37) = 1.10, p = .28$, Cohen's $d = .18$; Task B: $t(37) = -1.56, p = .13$, Cohen's $d = -.25$).
6 In addition, no difference was in RT performance between tasks completed on each
7 testing day ($t(37) = -1.05, p = .30$, Cohen's $d = -.17$).

8 **Results**

9 *Means and SDs of d' in each condition of Task A and B are presented in **Table 2***
10 **and 3**, respectively.

11 ----- Table 2 and 3 -----

12 Statistical analysis revealed significant main effects for all variables: Target
13 Presentation Duration ($F(1,37)=15.10, p<.001, \eta^2_p=.29$), SOA ($F(2.59,95.66)=523.76,$
14 $p<.001, \eta^2_p=.93$), SF Information ($F(1.36,50.26)=674.72, p<.001, \eta^2_p=.95$) and
15 Expression ($F(3,111)=16.43, p<.001, \eta^2_p=.31$).

16 Significant two-way interactions were also found: Target Presentation Duration
17 \times SF Information ($F(1.26,46.77)=29.39, p<.001, \eta^2_p=.44$) and SOA \times SF Information
18 ($F(4.61,170.58)=38.30, p<.001, \eta^2_p=.51$). However, these should be interpreted in light
19 of a significant 3-way interaction between Target Presentation Duration \times SOA \times SF
20 Information ($F(7.12,263.28)=7.88, p<.001, \eta^2_p=.18$; see **Figure 6**). To explore this
21 three-way interaction, separate analysis was conducted for each type of SF information.
22 The interaction between Presentation Duration \times SOA was significant for high-SF
23 ($F(4,148)=10.35, p<.001, \eta^2_p=.22$). When presented for 17 ms, d' increased with SOAs
24 from 33 to 150 ms (all $ps<.007$), whereas when presented for 33 ms, d' increased SOA

1 was found from 67 to 300 ms (all $ps < .006$). These two-way interactions were not
2 significant for broad- and low-SF (all $Fs < 2.38$, $ps > .13$).

3 ----- Figure 6 -----

4 Significant interactions were also found for Expression \times SOA ($F(12,444)=5.62$,
5 $p < .001$, $\eta^2_p = .13$) and Expression \times SF Information ($F(4.50,166.45)=7.89$, $p < .001$,
6 $\eta^2_p = .18$). Again, these should be interpreted in light of an additional 3-way interaction
7 between Expression \times SOA \times SF Information ($F(13.34,493.59)=1.85$, $p = .033$, $\eta^2_p = .05$;
8 see **Figure 7**). To explore this three-way interaction, separate analyses were conducted
9 for each type of SF information. The interaction of Expression \times SOA was significant
10 for broad-SF and low-SF (both $Fs > 3.92$, $ps < .001$, $\eta^2_p > .09$), but not high-SF
11 ($F(12,456)=1.18$, $p = .299$). The patterns were somewhat variable but seemed to suggest
12 that pain was less accurately recognised. Specifically, when presented by broad-SF,
13 pain was recognised less accurately when the SOA was 33 (pain < fear and neutral, both
14 $ps < .024$), 67 (pain < fear, happiness and neutral, all $ps < .015$) and 1000 ms
15 (pain < happiness, $p = .020$). When presented by low-SF, recognition of pain, and later
16 fear, was less accurate, in particular for SOAs of 67 (pain < fear, happiness and neutral,
17 all $ps < .001$), 150 (pain and fear < happiness and neutral, all $ps < .038$) and 1000 ms (pain
18 and fear < happiness, both $ps < .001$). When presented by high-SF information, neutral
19 was recognised more accurately than other expressions (all $ps < .001$), although this did
20 not vary by SOA.

21 ----- Figure 7 -----

22 No other interactions were significant (all $Fs < 2.85$, $ps > .058$).

23 The results of this experiment support our hypothesis that low-SF information
24 required less time to extract and decode than high-SF. Whilst this effect is not pain-

1 specific, the recognition of pain was shown to be less accurate than core emotions, in
2 particular during early processing, which also supports our hypothesis.

3 ***Discussion***

4 Experiment 2 showed that increasing the presentation duration facilitated the
5 recognition of facial expressions presented by high-SF information, but not those
6 presented by broad- or low-SF information. This suggests that even an extremely short
7 exposure of 17 ms is time adequate enough to extract useful information from broad-
8 and low-SF. As expected, information extraction from high-SF required more time.

9 Whilst this pattern was found for both pain and core emotions, a significant pain-related
10 effect was also found. Specifically, pain was recognised less accurately than core
11 emotions, in particular at early stages of processing, and when presented by broad- and
12 low-SF information. Since this effect did not depend on presentation duration, it
13 suggests that pain expressions may require more time to decode than core emotions.

14 **General Discussion**

15 The time course of SF information processing in the recognition of facial
16 expressions of pain, along with emotional expressions, was explored using a backward
17 masking paradigm. Low-SF information had a dominant role in early expression
18 perception, which is in line with previous findings of a low-SF advantage for pain-
19 related information⁴⁴. This suggests a potential advantage in naturally degraded visual
20 conditions for pain expressions, as faces viewed at distance or in the periphery lack
21 fine-detailed high-SF information³⁶. Moreover, we found that low-SF and high-SF
22 information were equally informative for pain expression perception when no time
23 constraint was applied (Experiment 1 Simple recognition task). This suggests that the
24 advantage of low-SF information indwells in the temporal aspect of processing. Indeed,

1 in our second experiment, where the temporal dynamics of SF information processing in
2 expression recognition was explored, the lack of synchronisation of SF started from a
3 very early stage of information extraction – the extraction of characteristic information
4 from high-SF elements was slower than that from low-SF. Thus, the decoding of high-
5 SF input may not only take more time to accomplish but also happen at a relatively later
6 stage of processing than low-SF.

7 This asynchrony between low- and high-SF supports the coarse-to-fine
8 hypothesis that the overall affective quality takes precedence over the fine-details in
9 expression perception. And that this extends to the expressions of pain. This low-SF
10 prioritisation could have a social advantage, especially in environments where vision is
11 constantly changing. Expressions may be viewed as a fleeting glance, because faces can
12 be hidden by competing visual inputs (e.g., objects, scenes, other expressions). It would,
13 therefore, be beneficial for the coarse overall affective quality of facial expressions to
14 be fed-forward, to enable the rapid detection of threat. Fine-detailed high-SF analysis is
15 more complex, and understandably takes longer to process. Like other core emotions, it
16 seems that pain expressions share this feature, and that coarse information about pain is
17 prioritised over fine details.

18 Whilst the coarse features of pain expressions are prioritised, and in a similar
19 way to core emotions, the current study also suggests that there are differences between
20 pain and core emotion expressions. Our two experiments illustrate that the facial
21 expressions of pain (i.e. broad-SF intact face stimuli) could be successfully decoded
22 within 150 ms, even when the presentation duration was as brief as 17 ms. However,
23 when compared to fear, happiness and neutral expressions, the presentation duration and
24 SOA required for successful recognition of pain appeared to be more difficult to
25 achieve. This finding extends the results reported in previous studies, that the

1 recognition of pain might not be as accurate as found for core emotions (hit rates around
2 70% vs. 80%, respectively) ^{20,32,38,44}. It confirms previously reported absolute times
3 required for recognition of core emotions (i.e. fear, happiness) ^{7,14,28}, but also suggests
4 that pain expressions are not processed as fast as core emotions. Interestingly, this study
5 suggests this may be due to a difference in early expression detection, as in the absence
6 of time constraints pain was recognised as accurately as core emotions, and regardless
7 of SF information. Moreover, since this pain-related difference was not affected by the
8 presentation duration but target-mask SOA, this suggests pain information is not more
9 difficult to extract, but instead requires more time to decode. Whilst it remains unclear
10 why, one possible reason could be that facial pain expressions encode both sensory and
11 affective components ²², and so are more complex, thus requiring extra processing time.
12 Another possibility is that pain expressions are less frequently observed in social
13 encounters comparing to core emotions (e.g. happiness or smile face). According to the
14 frequency-of-occurrence hypothesis ⁶, the corresponding mental representation of less
15 frequently encountered expressions would be less accessible, and the recognition more
16 difficult.

17 Some unexpected results were also found. For example, the low-SF advantage
18 was found for all expressions, which contradicts what we found previously ⁴⁴, i.e. the
19 low-SF advantage was pain specific and only found for one other core emotion, namely
20 disgust. This may be because the influence of SF information on expression perception
21 is dependent on the task being performed. In our previous study, expressions (pain,
22 neutral, and six core emotions) were presented for a fixed time length (300 ms) without
23 using any mask, whereas the current study focused on the time course of SF exposure
24 and used critical presentation duration and/or the SOA, which involved different
25 activities. Another counter-intuitive outcome was the failure to find a strong happiness

1 advantage, despite previous studies generally reporting that happiness is easier to
2 recognise^{e.g., 31,38}. Although various reasons for the happiness advantage have been
3 proposed⁷, it remains unclear how robust this effect is, when it is most likely to occur,
4 and what function it would serve. The current study suggests that one reason could be
5 linked to a disruption in the recurrent processing of target expressions, which might lead
6 to the happiness advantage. Indeed, such disruption could occur both in the backward
7 masking task [25], or when recurrent processing was not crucial for success (i.e.,
8 Experiment 1 simple recognition task), leading to no advantage for happiness. Future
9 studies could consider whether the representation of a happy or smiling face forms
10 differently from other expressions, and whether the happiness representation is better
11 retained in short term memory and/or used to make inferences about the emotional
12 content.

13 There are also some limitations to be considered. The experimental lab-based
14 methodology used here to investigate the dynamics of pain recognition is artificial, and
15 so translation to natural setting is limited. For example, we used posed, prototypical
16 facial expressions of pain and core emotions as stimuli. Although the recognition of
17 posed expressions has been found to reveal comparable performance and accuracy with
18 genuine facial expressions⁷, there is evidence that actors' representations of pain differ
19 in some configurations and dynamic features from spontaneous expressions². A related
20 issue is that the visual percept of facial expressions is much more complex in natural
21 conditions, and affected by context. It is also rare for individuals to view expressions in
22 isolation, e.g. pain is often accompanied by fear. Indeed, the difference between pain
23 and fear was only found in Experiment 2, at a very early stage of processing. Although
24 this study considered how our visual percept of facial pain expressions changes in time,
25 the expression itself remained unchanged – they were static, rather than dynamic

1 images. In reality, both our visual percept and the expressions change dynamically. It
2 would be interesting to explore whether similar patterns would emerge for dynamic
3 stimuli. Despite these limitations, there are strengths with the experimental behavioural
4 approach adopted here, including the high degree of precision and control that is not
5 possible within naturalistic settings. The current study highlights that in addition to the
6 component approach to expression encoding, we should also consider other types of
7 perceptual information available.

8 Whilst there is clearly a need to be cautious about generalisation, it is possible to
9 consider potential implications, including relevance to clinical practice. Basic
10 experimental investigation such as this can help inform the development of automated
11 expressions detection systems, where the processing of such detail is possible. To date,
12 pain detection studies often consider specific facial codes – however, correct
13 identification of such codes requires detailed processing, which may not be possible in a
14 rapidly changing environment. Similarly, this focus has proved difficult when using
15 such system within older age groups, as facial features make identification more
16 difficult¹⁶. This could potentially be overcome by focussing on low-SF information,
17 where such details are less relevant. It would be interesting to consider how SF
18 information processing contributes to the estimation of pain intensity. Decoding of
19 facial expressions of pain consists of multiple processes that serve different functions,
20 such as pain recognition, severity estimation and authenticity detection. One of the key
21 issues in clinical practice is the underestimation of sufferers' pain intensity from their
22 facial expressions^{21,30}. It would be interesting to discover how we visually perceive the
23 pain intensity in terms of SF analysis, and how different SF information could inform
24 the underestimation of pain intensity. Such knowledge may, therefore, help facilitate the
25 identification of pain, and reduce errors in expression decoding.

1 In summary, our results demonstrated that the low-SF information plays a key
2 role in the early perception of facial expressions of pain that is refined as the high-SF
3 information integrates gradually. The low-SF provides early, quickly accessible
4 information, and the high-SF slower information is accessed later. Moreover, this is not
5 specific for the recognition of pain, but also for core emotions (i.e. fear, happiness) and
6 neutral expressions. This suggests that, in terms of SF analysis, the facial expressions of
7 pain share similar visual perceptual properties with these core emotions. However, it
8 also appears that pain expressions are slower and more difficult to decode, which may
9 be due to the multidimensional nature of facial pain expressions. The current study
10 highlights the benefits of taking a global approach to the exploration of pain expression
11 recognition, and in particular, identify the way different types of perceptual information
12 are used in the communication of pain.

13

1 Acknowledgements

2 The authors would also like to thank Frederic Gosselin for granting us permission to use

3 the STOIC database in our research.

4

1 **References**

- 2 1. Bar M: Visual objects in context. *Nat Rev Neurosci* 5:617–629, 2004
- 3 2. Bartlett MS, Littlewort GC, Frank MG, Lee K: Automatic decoding of facial
4 movements reveals deceptive pain expressions. *Curr Biol* 24:738–743, 2014
- 5 3. Bayle DJ, Schoendorff B, Henaff M-A, Krolak-Salmon P: Emotional Facial
6 Expression Detection in the Peripheral Visual Field. *PLoS One* 6: e21584, 2011
- 7 4. Breitmeyer BG, Ogmen H: Recent models and findings in visual backward
8 masking: A comparison, review, and update. *Percept Psychophys* 62:1572–1595,
9 2000
- 10 5. Bruce V, Young A: Understanding face recognition. *Br J Psychol* 77:305–327,
11 1986
- 12 6. Calvo MG, Gutiérrez-García A, Fernández-Martín A, Nummenmaa L:
13 Recognition of Facial Expressions of Emotion is Related to their Frequency in
14 Everyday Life. *J Nonverbal Behav* 38:549–567, 2014
- 15 7. Calvo MG, Nummenmaa L: Perceptual and affective mechanisms in facial
16 expression recognition: An integrative review. *Cogn Emot* 30:1081–1106, 2015
- 17 8. De Cesarei A, Codispoti M: Spatial frequencies and emotional perception. *Rev*
18 *Neurosci* 24:89–104, 2013
- 19 9. Costen N, Shepherd J, Ellis H, Craw I: Masking of faces by facial and non-facial
20 stimuli. *Vis cogn* 1:227–251, 1994
- 21 10. Czekala C, Mauguière F, Mazza S, Jackson PL, Frot M: My brain reads pain in
22 your face, before knowing your gender. *J pain* 16:1342–1352, 2015
- 23 11. Eimer M, Holmes A, McGlone FP: The role of spatial attention in the processing
24 of facial expression: An ERP study of rapid brain responses to six basic
25 emotions. *Cogn Affect Behav Neurosci* 3:97–110, 2003

- 1 12. Ekman P, Friesen W V: Facial Action Coding System. Palo Alto, CA, Consulting
2 Psychological Press, 1978
- 3 13. Essen DC Van, Anderson CH: Information processing strategies and pathways in
4 the primate visual system. In: Zornetzer SF, Davis JL, Lau C, McKenna T (eds):
5 An Introd to Neural Electron Networks, 2nd ed. London, Academic Press Inc.,
6 1995, pp 45–76
- 7 14. Esteves F, Ohman A: Masking the face: recognition of emotional facial
8 expressions as a function of the parameters of backward masking. Scand J
9 Psychol 34:1–18, 1993
- 10 15. Faul F, Erdfelder E, Lang AG, Buchner A: G*Power 3: A flexible statistical
11 power analysis program for the social, behavioral, and biomedical sciences.
12 Behav Res Methods 39:175–191, 2007
- 13 16. Fölster M, Hess U, Werheid K: Facial age affects emotional expression decoding.
14 Front Psychol 5:30, 2014
- 15 17. Green DM, Swets JA: Signal detection theory and psychophysics. Oxford,
16 England, John Wiley, 1966
- 17 18. Hegdé J: Time course of visual perception: coarse-to-fine processing and beyond.
18 Prog Neurobiol 84:405–439, 2008
- 19 19. Kappesser J, de C Williams AC: Pain judgements of patients' relatives:
20 examining the use of social contract theory as theoretical framework. J Behav
21 Med 31:309–317, 2008
- 22 20. Kappesser J, de C Williams AC: Pain and negative emotions in the face:
23 judgements by health care professionals. Pain 99:197–206, 2002
- 24 21. Kappesser J, de C Williams AC, Prkachin KM: Testing two accounts of pain
25 underestimation. Pain 124:109–116, 2006

- 1 22. Kunz M, Lautenbacher S, LeBlanc N, Rainville P: Are both the sensory and the
2 affective dimensions of pain encoded in the face? *Pain* 153:350–358, 2012
- 3 23. Macknik SL, Livingstone MS: Neuronal correlates of visibility and invisibility in
4 the primate visual system. *Nat Neurosci* 1:144–149, 1998
- 5 24. Macmillan NA, Creelman CD: Alternative approaches: Threshold models and
6 choice theory. In: *Detect Theory A User's Guid*, 2nd ed. New York, Taylor &
7 Francis, 2004, pp 81–112
- 8 25. McKone E, Davies AA, Darke H, Crookes K, Wickramariyaratne T, Zappia S,
9 Fiorentini C, Favelle S, Broughton M, Fernando D: Importance of the inverted
10 control in measuring holistic face processing with the composite effect and part-
11 whole effect. *Front Psychol* 4:33, 2013
- 12 26. Méndez-Bértolo C, Moratti S, Toledano R, Lopez-Sosa F, Martínez-Alvarez R,
13 Mah YH, Vuilleumier P, Gil-Nagel A, Strange BA: A fast pathway for fear in
14 human amygdala. *Nat Neurosci* 19:1041–1049, 2016
- 15 27. Milders M, Sahraie A, Logan S: Minimum presentation time for masked facial
16 expression discrimination. *Cogn Emot* 22:63–82, 2008
- 17 28. Neath KN, Itier RJ: Facial expression discrimination varies with presentation
18 time but not with fixation on features: a backward masking study using eye-
19 tracking. *Cogn Emot* 28:115–131, 2014
- 20 29. Ogmen H, Breitmeyer BG (eds): *The First Half Second: The Microgenesis and*
21 *Temporal Dynamics of Unconscious and Conscious Visual Processes*, 1st ed.
22 Cambridge, MIT Press, 2006
- 23 30. Prkachin KM, Solomon PE, Ross J: Underestimation of pain by health-care
24 providers: towards a model of the process of inferring pain in others. *Can J Nurs*
25 *Res* 39:88–106, 2007

- 1 31. Recio G, Schacht A, Sommer W: Classification of dynamic facial expressions of
2 emotion presented briefly. *Cogn Emot* 27:1486–1494, 2013
- 3 32. Reicherts P, Wieser MJ, Gerdes ABM, Likowski KU, Weyers P, Mühlberger A,
4 Pauli P: Electrocortical evidence for preferential processing of dynamic pain
5 expressions compared to other emotional expressions. *Pain* 153:1959–1964, 2012
- 6 33. Richler JJ, Mack ML, Gauthier I, Palmeri TJ: Holistic processing of faces
7 happens at a glance. *Vision Res* 49:2856–2861, 2009
- 8 34. Roy C, Blais C, Fiset D, Rainville P, Gosselin F: Efficient information for
9 recognising pain in facial expressions. *Eur J Pain* 19:852–860, 2015
- 10 35. Roy S, Roy C, Fortin I, Ethier-Majcher C, Belin P, Gosselin F: A dynamic facial
11 expression database. *J Vis* 7:944, 2007
- 12 36. Ruiz-Soler M, Beltran F: Face perception: An integrative review of the role of
13 spatial frequencies. *Psychol Res* 70:273–292, 2006
- 14 37. Schyns PG, Oliva A: Dr. Angry and Mr. Smile: when categorisation flexibly
15 modifies the perception of faces in rapid visual presentations. *Cognition* 69:243–
16 265, 1999
- 17 38. Simon D, Craig KD, Gosselin F, Belin P, Rainville P: Recognition and
18 discrimination of prototypical dynamic expressions of pain and emotions. *Pain*
19 135:55–64, 2008
- 20 39. Smith ML, Merlusca C: How task shapes the use of information during facial
21 expression categorisations. *Emotion* 14:478–487, 2014
- 22 40. Sowden PT, Schyns PG: Channel surfing in the visual brain. *Trends Cogn Sci*
23 10:538–545, 2006
- 24 41. Vlamings PHJM, Goffaux V, Kemner C: Is the early modulation of brain activity
25 by fearful facial expressions primarily mediated by coarse low spatial frequency

- 1 information? *J Vis* 9:1–13, 2009
- 2 42. Vuilleumier P, Armony JL, Driver J, Dolan RJ, Armony Jorge LL, Driver J,
3 Dolan Raymond JJ: Distinct spatial frequency sensitivities for processing faces
4 and emotional expressions. *Nat Neurosci* 6:624–631, 2003
- 5 43. Wang S, Eccleston C, Keogh E: The role of spatial frequency information in the
6 decoding of facial expressions of pain: A novel hybrid task. *Pain* 158:2233–2242,
7 2017
- 8 44. Wang S, Eccleston C, Keogh E: The role of spatial frequency information in the
9 recognition of facial expressions of pain. *Pain* 156:1670–1682, 2015
- 10 45. Winston JS, Vuilleumier P, Dolan RJ: Effects of Low-Spatial Frequency
11 Components of Fearful Faces on Fusiform Cortex Activity. *Curr Biol* 13:1824–
12 1829, 2003
- 13

1 Figure legends:

2 **Figure 1.** Sample stimuli of facial expression images of pain at each SF level (from left
3 to right: broad-SF, low-SF and high-SF) It should be noted that the size of the image,
4 viewing distance, printing quality and monitor contrast would influence the appearance
5 and perception of SF information. During experiments, we have controlled for these
6 factors. The original images are obtained from the STOIC database ³⁵, and the SF-
7 filtered images are reproduced with permission.

8 **Figure 2.** Illustration of trial procedure for the backward masking task used in
9 Experiment 1

10 **Figure 3.** Experiment 1 – Mean sensitivity (d') for backward masked expressions at
11 each SF level with each SOA (error bars represent *SEM*)

12 **Figure 4.** Mean sensitivity (d') for fear, happiness, neutral and pain at each SF level in
13 Experiment 1 (error bars represent *SEM*)

14 **Figure 5.** Details of trial procedure of the modified backward masking tasks used in
15 Experiment 2

16 **Figure 6.** Experiment 2 – Mean sensitivity (d') to expressions presented by each type of
17 SF information in Task A (17 ms presentation) and Task B (33 ms presentation) with
18 each SOA (error bars represent *SEM*)

19 **Figure 7.** Mean sensitivity (d') to each expression presented by each type of SF
20 information with each SOA in Experiment 2 (error bars represent *SEM*) * indicates
21 significant differences between expressions; for High-SF, the main effect of Expression

Running title: Recognition of facial pain expressions

- 1 revealed higher d' for neutral compared to other expressions, and the interaction
- 2 Expression \times SOA was not significant for high-SF
- 3

Running title: Recognition of facial pain expressions

1 Table legends:

2 **Table 1** Experiment 1: Mean (SD) of the d' for each expression at each SF level with
3 each SOA in the backward masking task and the simple recognition task.

4 **Table 2** Experiment 2 – Task A: Mean (SD) of the d' for expressions at each SF level
5 with each SOA.

6 **Table 3** Experiment 2 – Task B: Mean (SD) of the d' for expressions at each SF level
7 with each SOA.

Table 2 Experiment 1: Mean (SD) of the d' for each expression at each SF level with each SOA in the backward masking task and the simple recognition task.

	17 ms	33 ms	67 ms	150 ms	300 ms	Simple Recognition
Fear						
Broad-SF	0.47 (0.62)	0.97 (0.73)	1.79 (0.92)	2.68 (0.69)	2.85 (0.56)	3.03 (0.41)
Low-SF	0.38 (0.56)	1.05 (0.74)	1.78 (0.88)	2.66 (0.80)	2.88 (0.58)	3.01 (0.53)
High-SF	0.23 (0.45)	0.48 (0.53)	1.04 (0.82)	2.11 (0.94)	2.55 (0.71)	2.86 (0.49)
Happiness						
Broad-SF	0.52 (0.51)	1.01 (0.81)	2.01 (0.95)	2.88 (0.57)	3.07 (0.41)	3.12 (0.58)
Low-SF	0.57 (0.51)	0.75 (0.64)	1.81 (0.76)	2.84 (0.61)	3.06 (0.43)	3.14 (0.39)
High-SF	0.17 (0.59)	0.41 (0.57)	1.14 (0.68)	2.27 (0.62)	2.71 (0.55)	3.00 (0.59)
Neutral						
Broad-SF	0.42 (0.49)	0.78 (0.75)	1.77 (0.91)	2.68 (0.71)	3.02 (0.51)	3.17 (0.45)
Low-SF	0.37 (0.61)	0.80 (0.94)	1.76 (0.80)	2.68 (0.71)	2.90 (0.50)	3.07 (0.51)
High-SF	0.52 (0.66)	0.72 (0.75)	1.15 (0.77)	2.14 (0.83)	2.54 (0.71)	2.97 (0.63)
Pain						
Broad-SF	0.43 (0.49)	0.83 (0.73)	1.71 (0.92)	2.62 (0.73)	2.87 (0.52)	3.03 (0.38)
Low-SF	0.31 (0.54)	0.62 (0.68)	1.69 (0.79)	2.53 (0.86)	2.90 (0.49)	3.06 (0.44)
High-SF	0.28 (0.48)	0.64 (0.59)	1.08 (0.74)	2.17 (0.77)	2.59 (0.68)	2.87 (0.47)

Table 2 Experiment 2 – Task A: Mean (SD) of the d' for expressions at each SF level with each SOA.

		33 ms	67 ms	150 ms	300 ms	1000 ms
Fear	Broad-SF	0.97 (0.69)	1.81 (0.99)	2.58 (0.76)	2.76 (0.58)	2.78 (0.63)
	Low-SF	0.81 (0.61)	1.74 (0.75)	2.19 (0.71)	2.66 (0.66)	2.62 (0.60)
	High-SF	0.18 (0.47)	0.33 (0.47)	0.57 (0.46)	0.57 (0.63)	0.77 (0.68)
Happiness	Broad-SF	0.83 (0.75)	1.84 (0.88)	2.69 (0.70)	2.79 (0.65)	2.96 (0.56)
	Low-SF	0.73 (0.53)	1.92 (0.81)	2.50 (0.71)	2.79 (0.65)	2.95 (0.54)
	High-SF	0.04 (0.53)	0.17 (0.47)	0.49 (0.48)	0.60 (0.71)	0.67 (0.74)
Neutral	Broad-SF	1.08 (0.96)	1.85 (1.00)	2.66 (0.76)	2.84 (0.78)	2.92 (0.72)
	Low-SF	0.76 (0.69)	1.89 (0.92)	2.48 (0.86)	2.82 (0.76)	2.75 (0.78)
	High-SF	0.18 (0.49)	0.55 (0.62)	0.87 (0.76)	1.03 (0.85)	1.03 (0.85)
Pain	Broad-SF	0.71 (0.72)	1.35 (0.86)	2.46 (0.63)	2.68 (0.52)	2.83 (0.47)
	Low-SF	0.70 (0.73)	1.21 (0.82)	2.24 (0.78)	2.54 (0.58)	2.68 (0.57)
	High-SF	0.06 (0.56)	0.09 (0.69)	0.40 (0.53)	0.44 (0.67)	0.74 (0.79)

Table 3 Experiment 2 – Task B: Mean (SD) of the d' for expressions at each SF level with each SOA.

		33 ms	67 ms	150 ms	300 ms	1000 ms
Fear	Broad-SF	1.19 (0.79)	1.97 (0.83)	2.53 (0.70)	2.63 (0.64)	2.96 (0.54)
	Low-SF	1.18 (0.40)	1.80 (0.92)	2.53 (0.72)	2.70 (0.64)	2.62 (0.62)
	High-SF	0.42 (0.40)	0.55 (0.50)	0.95 (0.70)	1.38 (0.78)	1.53 (0.83)
Happiness	Broad-SF	0.95 (0.71)	2.17 (0.76)	2.75 (0.70)	2.93 (0.56)	3.07 (0.48)
	Low-SF	0.99 (0.82)	1.88 (0.82)	2.77 (0.65)	2.88 (0.62)	2.94 (0.55)
	High-SF	0.40 (0.45)	0.39 (0.65)	1.13 (0.85)	1.53 (0.85)	1.73 (0.79)
Neutral	Broad-SF	1.12 (0.76)	1.98 (0.84)	2.50 (0.89)	2.80 (0.82)	2.89 (0.82)
	Low-SF	0.99 (0.66)	1.89 (1.08)	2.74 (0.76)	2.82 (0.85)	2.76 (0.79)
	High-SF	0.77 (0.59)	0.70 (0.72)	1.48 (1.02)	1.60 (0.92)	1.71 (0.93)
Pain	Broad-SF	0.86 (0.59)	1.79 (0.77)	2.65 (0.60)	2.80 (0.41)	2.92 (0.51)
	Low-SF	0.80 (0.67)	1.54 (0.83)	2.43 (0.70)	2.80 (0.62)	2.73 (0.49)
	High-SF	0.40 (0.56)	0.61 (0.63)	1.21 (0.76)	1.45 (0.69)	1.65 (0.82)




Figure 1. Sample stimuli of facial expression images of pain at each SF level (from left to right: broad-SF, low-SF and high-SF) It should be noted that the size of the image, viewing distance, printing quality and monitor contrast would influence the appearance and perception of SF information. During experiments, we have controlled for these factors. The original images are obtained from the STOIC database ³⁵, and the SF-filtered images are reproduced with permission.




Figure 2. Illustration of trial procedure for the backward masking task used in Experiment 1.




Figure 3. Experiment 1 – Mean sensitivity (d') for backward masked expressions at each SF level with each SOA (error bars represent *SEM*)




Figure 4. Mean sensitivity (d') for fear, happiness, neutral and pain at each SF level in Experiment 1 (error bars represent *SEM*).




Figure 5. Details of trial procedure of the modified backward masking tasks used in Experiment




Figure 6. Experiment 2 – Mean sensitivity (d') to all the expressions presented by each type of SF information in Task A (17 ms presentation) and Task B (33 ms presentation) with each SOA (error bars represent SEM)




Figure 7. Mean sensitivity (d') to each expression presented by each type of SF information with each SOA in Experiment 2 (error bars represent *SEM*) * indicates significant differences between expressions; for High-SF, the main effect of Expression revealed higher d' for neutral compared to other expressions, and the interaction Expression \times SOA was not significant for high-SF